Miltex®
Redefining Excellence



ORAL SURGERY INSTRUMENTS

TABLE OF CONTENTS

Aspirator Tips **4**

Blades and Scalpel Handles **6**
- Scalpel Handles 6
- Blade Safe 6
- Blades 7
- Disposable Scalpels 8

Biopsy Punches **9**

Bone Chisels **10**

Bone Curettes **11**

Bone Files **13**

Bone Mallets **15**

Burs **16**
- Carbide 16
- Steel Surgical 18
- Trimming & Finishing 19
- Bur Blocks 20

College (Cotton) Pliers **21**

Dividers & Gauges **22**

Elevators & Periosteals **23**
- Luxating 23
- Elevators 25
- Root Tip Picks 29
- Periosteals 30

Forceps, Extracting **31**
- Tungsten Carbide 31
- Stainless Steel 34
- Ceram-a-Grip® 46

Forceps, Hemostatic **50**

Forceps, Tissue & Dressing **52**

Instrument Care & Cleaning **54**
- Cassettes 54
- Cleaning Products 63
- Color Bands 63
- Tape N Tell 64
- Instrument Guards 64
- Sharpeners 65
- Sterilizing Items 67

Mouth Gags **69**

Needle Holders **70**
- Tungsten Carbide 70
- Stainless Steel 73
- Ceram-a-Grip® 76

Needles, Surgical **78**

Periotomes **80**

Retractors **81**
- Lip & Cheek 81
- Retractors 83

Rongeurs **84**

Scissors **88**
- SuperCuts 88
- Surgical 90
- Iris 96
- Metzenbaum 97
- Suture 98
- Bandage 98
- Crown, Collar, & Wire Cutting 99

Syringes **100**
- Aspirating 100
- Self Aspirating 101
- N-Tralig® 101

Tongue Forceps & Towel Clamps **102**

Index **103**

PULP CANAL ASPIRATORS

- Flexible plastic tubing
- All metal parts are stainless steel
- For draining periapical abscesses
- Each or a set of 3
  - **Point 1**. Connector to hose: length 1/17", diameter 9/32"
  - **Point 2**. Tubing: inside diameter 5/32", outside diameter 5/16"
  - **Point 3**. Metal connector: length 3/4", diameter 19/64"



REF	Description
013-29070	Copeland Handle/Dental Suction
013-29080	Copeland #2 Suction Tip
013-29085	Copeland #4 Suction Tip
013-31200	Pulp Canal Aspirator Set of 3 Assortment
013-31205	Pulp Canal Aspirator with small tip
013-31210	Pulp Canal Aspirator with large tip
013-31215	Pulp Canal Aspirator with X-large tip



013-29070



013-29080



013-29085

CANAL ASPIRATOR ADAPTER

- Designed by Dr. David Green
- Stainless steel
- Sterilizable by any method
- One side enters a luer-type syringe; the other a saliva ejector

REF	Description
013-31220	Canal Aspirator Adaptor

DISPOSABLE SALIVA EJECTOR



REF	Description
017-31430	Dispoable Saliva Ejector 100/pack



013-31013 013-31014 013-31016

ASPIRATOR TIPS

- **Aspirator No. 13**
  - Seamless, stainless steel opening angled at 45°
  - Small surgical tip
- **Aspirator No. 14**
  - Seamless, stainless steel opening angled at 45°
  - Large surgical tip
- **Aspirator No. 16**
  - Seamless, stainless steel opening angled at 45°
  - Inside diameter 25/64'', outside diameter 7/16''
  - Large oral evacuator

REF	Description
013-31013	Aspirator Tip #13
013-31014	Aspirator Tip #14
013-31016	Aspirator Tip #16



017-31100

DISPOSABLE ASPIRATOR TIPS

- Styrene aspirator tips designed to fit all standard suction machines
- Angled opening for better accessibility and visibility
- Angled tip is removable for use as straight aspirator
- Opaque styrene conceals aspirated material

REF	Description
017-31100	Disposable Aspirator Tips 100/pack



017-31130

MOLDED ASPIRATOR TIPS

- Durable, attractive plastic
- Sterilizable by autoclaving (no dry heat)

REF	Description
017-31130	Aspirator Tips Flat 10/pack

SCALPEL HANDLES

For your convenience, Miltex, Inc. offers a wide array of scalpel blade handles and the Miltex® Blade Safe Remover to aid in the safe removal of blades and to help protect against accidental cuts and punctures.



4-100

REF	Description	For Blades 10-15C	For Blades 20-25
4-7	No. 3, Stainless Steel 5" graduated in mm and cm	x	
4-7R	No. 3, Nickel 5" graduated in mm and cm	x	
4-8	No. 4, Stainless Steel 5.375" graduated in mm and cm		x
4-8R	No. 4, Nickel 5.375" graduated in mm and cm		x
4-9	No. 7, Stainless Steel 6.5"	x	
4-16	No. 9, Stainless Steel 4.5"	x	
4-17	SIEGEL, Stainless Steel, round handle, 6"	x	
4-18	No. 5, plastic handle with stainless tip 5", green	x	
4-20	No. 6, plastic handle with stainless tip 5.25", red		x
4-30*	No. 3, E-Z-Off Reusable Plastic Surgical Knife Handles, 5.5", gray	x	
4-31*	No. 4, E-Z-Off Reusable Plastic Surgical Knife Handles, 5.5", blue		x
4-100	Blade-Safe Surgical Blade Remover		
USH5	No. 5, tactile tone	x	

* EZ-OFF reusable plastic knife handles, autoclavable, permitting quick and safe removal of blade, 10/box



4-7 4-7R | 4-8 4-8R | 4-9 | 4-16 | 4-17 | 4-18 | 4-20 | 4-30 | 4-31 | USH5





STERILE DISPOSABLE SURGICAL BLADES

Carbon (CS) or Stainless Steel (SS)

- Razor-sharp cutting edges for superior cutting and clean incisions
- Sterile, 5-year shelf life
- Individually packaged in foil peel packs
- Convenience of disposables, single-use
- Sizes clearly marked on each blade
- Each box contains 100 blades

CS REF	SS REF	Size
4-110	4-310	10
4-111	4-311	11
4-112	4-312	12
4-112B	4-312B	12B*
4-115	4-315	15
4-115C	4-315C	15C**
4-120	4-320	20
4-121	4-321	21
4-122	4-322	22
4-123	4-323	23
4-125	4-325	25

* Double-edged blade

** Angled blade

FACT

Carbon steel surgical blades are sharper than stainless steel surgical blades, but they dull more quickly.

STERILE DISPOSABLE SCALPELS

- Razor-sharp cutting edges for superior cutting and clean incisions
- Safety sleeve for blade protects you and the blade
- Sterile, 3-year shelf life
- Individually packaged in sealed peel-apart pouches
- Convenience of disposables, single-use
- Sizes clearly marked on each blade
- Each dispenser box contains 10 scalpels


4-410


4-420


4-411


4-421


4-412


4-422


4-415


4-423

REF	Size
4-410	10
4-411	11
4-412	12
4-415	15
4-420	20
4-421	21
4-422	22
4-423	23



STERILE DISPOSABLE SAFETY SCALPELS

- Razor-sharp cutting edges for superior cutting and clean incisions
- Pre-assembled, fully retractable scalpel blade is user activated
- Sterile, 3-year shelf life
- Individually packaged in sealed peel-apart pouches
- Convenience of disposables, single-use
- Sizes clearly marked on each blade
- Each dispenser box contains 10 scalpels


4-510


4-511


4-512


4-515


4-515C

REF	Size
4-510	10
4-511	11
4-512	12
4-515	15
4-515C	15C
4-522	22


4-522





STERILE DISPOSABLE BIOPSY PUNCHES

- Seamless, stainless steel, razor-sharp cutting edge
- Ribbed handle provides better comfort and control
- Sterile, 5-year shelf life
- Individually packaged in color-coded blister packs
- Convenience of disposables, single-use
- Sizes clearly marked on each punch
- Each dispenser box contains 50 punches

REF	Size
33-31AA	1.0 mm
33-31A	1.5 mm
33-31	2.0 mm
33-31B	2.5 mm
33-32	3.0 mm
33-33	3.5 mm
33-34	4.0 mm
33-35	5.0 mm
33-36	6.0 mm
33-37	8.0 mm
33-38	Assorted sizes, 10 each of 2.0 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm



STERILE DISPOSABLE BIOPSY PUNCHES WITH PLUNGERS

- Effortless ejection of lodged specimens
- Same features as standard sterile disposable biopsy punches
- Color-coded by size – 3 sizes available
- Each dispenser box contains 25 punches

REF	Size
33-31AA-P/25	1.0 mm
33-31A-P/25	1.5 mm
33-31-P/25	2.0 mm

BONE CHISELS

REF	Description
62-2	No. 1 GARDNER Bone Chisel
62-4	No. 2 GARDNER Bone Chisel
62-6	No. 5 GARDNER Bone Chisel
62-8	No. 5R GARDNER Bone Chisel
70-144	OCHSENBEIN CHISEL # 1
70-146	OCHSENBEIN CHISEL # 2
70-148	OCHSENBEIN 3 DE #2 HANDLE
70-150	OCHSENBEIN Periodontal Chisel No. 4
TKOC3	OCHSENBEIN #3 Chisel Tactile Tone double end
TKOC4	OCHSENBEIN #4 Chisel Tactile Tone double end
UKK29	CHISEL KIRKLAND 29



62-4



62-6



62-8



TKOC3



TKOC4



70-144



70-146



70-148



70-150



62-2



UKK29



61-2



61-20

BONE CURETTES

REF	Description
61-2	No. 75 LUCAS Curette, straight
61-4	No. 85 LUCAS Curette, angular, small
61-6	No. 86 LUCAS Curette, angular, medium
61-8	No. 87 LUCAS Curette, angular, large
61-10	No. 1 MOLT Curette, straight, small
61-12	No. 2 MOLT Curette, straight, medium
61-14	No. 4 MOLT Curette, straight, large
61-16	No. 5L MOLT Curette, angular, small, left
61-18	No. 6R MOLT Curette, angular, small, right
61-20	No. 2/4 MOLT Curette, double end
TKLU85	LUCAS 85 Curette Tactile Tone double end
TKLU86	LUCAS 86 Curette Tactile Tone double end
TKLU87	LUCAS 87 Curette Tactile Tone double end
TKLU88	LUCAS 88 Curette Tactile Tone double end
TKM10	MILLER CUR 10 Tactile Tone Doble End
TKM11	MILLER CUR11 Tactile Tone Double End
TKMO24	MOLT 2-4 Curette Tactile Tone double end
TPPR12	PRICHARD 1-2 Curette Tactile Tone double end



61-4



61-6



61-8



61-10



61-12 61-14 61-16 61-18



TKLU85 TKLU86



TKLU87 TKLU88 TKM10 TKM11 TKMO24 TPPR12



40-1370



40-1371

BONE FILES

REF	Description
40-1370	Bone File, double end No. 10 pattern, 7" (17.8 cm), plain serrations
40-1371	Bone File, double end No. 33 pattern, 7" (17.8 cm), plain serrations
40-1375	Bone File, double end No. 64 pattern, 7" (17.8 cm), plain serrations
40-1380	Bone File, double end No. 45 pattern, 7" (17.8 cm), plain serrations
40-1381	Bone File, double end No. 12 pattern, 7" (17.8 cm), plain serrations
40-1382	Bone File, double end No. 12A pattern, 7" (17.8 cm), one end plain, other end serrated
40-1385	Bone File, double end No. 12CA BELL pattern, 7" (17.8 cm), cross serration
40-2800	POLOKOFF Bone File, 7-1/4" (18.4 cm), double end, narrow pattern
40-2801	POLOKOFF Bone File, 6" (15.2 cm), short head, fine serrations
40-2802	POLOKOFF Bone File, 6-1/2" (16.5 cm), long head, medium serrations
TKSC910	SCHLUGER 9-10 File Tactile Tone double end
TKSU12	SUGERMAN 1-2 File Tactile Tone double end
TKSU34	SUGERMAN 3-4 File Tactile Tone double end



TKSC910 TKSU12 TKSU34



40-1375



40-1380



40-1381



40-1382



40-1385



40-2800



40-2801



40-2802

BONE MALLETS

REF	Description
19-790	GERZOG Mallet, 7-1/2" (19.7 cm), head 8 oz. (227 G) lead filled with stainless jacket
19-793	MILTEX Mallet, 7-1/2" (19.1 cm), lightweight 7.5 oz. (213 G), stainless head 1" diameter with 2 replaceable nylon caps
19-795	Nylon Cap Replacement, for nos. 19-793 " 19-794 Mallets
19-796	MEAD Mallet, 7-1/2" (19.1 cm), head 8 oz. (227 G), with 2 replaceable nylon caps
19-797	Nylon Cap for no. 19-796 Mallet



19-790



19-793



19-796

TUNGSTEN CARBIDE BURS

The Miltex® carbide burs are designed to provide maximum strength and reduce the risk of breakage.

Code	Description
FG	Friction Grip (10/pk)
RA	Right Angle Latch (10/pk)
HP	Hand Piece (5/pk)
FG-SU	Friction Grip Surgical (10/pk)
FG-S	Friction Grip Short Shank (10/pk)

Round



	1/4	1/2	1	2	3	4	5	6	7	8	10
FG	DFG1/4	DFG1/2	DFG1	DFG2	DFG3	DFG4	DFG5	DFG6	DFG7	DFG8	–
RA	–	DRA1/2	DRA1	DRA2	DRA3	DRA4	DRA5	DRA6	DRA7	DRA8	–
HP	DHP1/4	DHP1/2	DHP1	DHP2	DHP3	DHP4	DHP5	DHP6	DHP7	DHP8	DHP10
FG-SU	–	DFG1/2SU	–	DFG2SU	–	DFG4SU	–	DFG6SU	–	DFG8SU	–
FG-S	–	–	–	DFG2S	–	DFG4S	–	–	–	–	–

Crosscut Fissure Taper



	699	700	701	702	703	699L	700L	701L
FG	DFG699	DFG700	DFG701	DFG702	DFG703	DFG699L	DFG700L	DFG701L
RA	DRA699	DRA700	DRA701	DRA702	DRA703	–	–	–
HP	DHP699	DHP700	DHP701	DHP702	DHP703	–	–	–
FG-SU	–	DFG700SU	DFG701SU	DFG702SU	DFG703SU	–	–	–
FG-S	–	DFG700S	–	–	–	–	–	–

Crosscut Fissure Straight



	556	557	558	559	560	557L	558L
FG	DFG556	DFG557	DFG558	DFG559	DFG560	DFG557L	DFG558L
RA	DRA556	DRA557	DRA558	DRA559	–	–	–
HP	DHP556	DHP557	DHP558	DHP559	DHP560	–	–
FG-SU	–	DFG557SU	DFG558SU	DFG559SU	–	–	–
FG-S	–	DFG557S	–	–	–	–	–

Crosscut Fissure Straight - Round Head



	1557	1558	1559
FG	DFG1557	DFG1558	DFG1559
HP	DHP1557	DHP1558	–
FG-SU	–	DFG1558SU	–

Pear



	329	330	331	332
FG	DFG329	DFG330	DFG331	DFG332
FG-S	DFG330S	-	-	-

Fissure Straight



	56	57	58	59	60	57L	58L
FG	DFG56	DFG57	DFG58	DFG59	DFG60	DFG57L	DFG58L
FG-SU	-	DFG57SU	DFG58SU	-	-	-	-
FG-S	DFG56S	DFG57S	-	-	-	-	-

Amalgam Preparation



	245
FG	DFG245

Wheel



	14
FG	DFG14

End Cutting



	957	958
FG	DFG957	DFG958

Taper Dome



	1170	1171
FG	DFG1170	DFG1171

Plain Fissure Straight - Round Head



	1156	1157	1158	1159
FG	DFG1156	DFG1157	DFG1158	DFG1159

Plain Fissure Taper



	169	170	171	172	169L	170L	171L
FG	DFG169	DFG170	DFG171	DFG172	DFG169L	DFG170L	DFG171L

Inverted Cone



	33 1/2	34	35	36	37	38	39
FG	DFG331/2	DFG34	DFG35	DFG36	DFG37	DFG38	DFG39
RA	DRA331/2	DRA34	DRA35	DRA36	DRA37	DRA38	DRA39
HP	DHP331/2	DHP34	DHP35	DHP36	DHP37	DHP38	DHP39
FG-S	DFG35S	-	-	-	-	-	-

Tungsten Carbide Burs (100/pk)



REF	REF	REF
DFG1/4-CL	DFG35-CL	DFG556S-CL
DFG1/2-CL	DFG56-CL	DFG557-CL
DFG2-CL	DFG57-CL	DFG557S-CL
DFG4-CL	DFG245-CL	DFG558-CL
DFG6-CL	DFG330-CL	DFG700-CL
DFG8-CL	DFG330S-CL	DFG701-CL
DFG331/2-CL	DFG331-CL	DFG1157-CL
DFG34-CL	DFG556-CL	DFG1557-CL
		DFG1558-CL

STEEL SURGICAL BURS

- Stainless steel
- Right Angle (RA) also known as Latch Type Only
- 28 mm bur
- 6/pk



REF	017-33700	017-33701	017-33702	017-33703
US No.	2	4	6	8
ISO No.	010	014	018	023

FACT

Miltex burs are brazed lower in the neck of the instruments to strengthen the burs and reduce breakage.

Fine Crosscut Pear Shape



	1931
FG	DFG1931

Fine Crosscut Straight Dome



	1958
FG	DFG1958

TRIMMING & FINISHING BURS

Trimming and Finishing burs are designed for the shaping and finishing of all dental materials. They provide a smoother aesthetic looking surface. Trimming and Finishing burs are sold only in single packs.

T&F Round



	7006
FG	DFG7006

T&F



	7606
FG	DFG7606

T&F Cone



	7204	7205
FG	DFG7204	DFG7205

T&F Flame



	7104	7106	7108
FG	DFG7104	DFG7106	DFG7108

T&F Egg



	7404	7406	7408
FG	DFG7404	DFG7406	DFG7408

T&F Taper & Finishing



	7702	7713
FG	DFG7702	DFG7713

T&F Bullet



	7801	7802
FG	DFG7801	DFG7802

T&F Needle



	7901	7902	7903
FG	DFG7901	DFG7902	DFG7903

T&F Perfect Trimming



	7610	7611	7612	7613
FG	DFG7610	DFG7611	DFG7612	DFG7613

BUR BLOCKS

REF	Description
013-33810	Magnetic Bur Holder
017-33820	Plastic Bur Block, Friction Grip, no cover, large
017-33825	Plastic Bur Block, Right Angle, no cover, large
017-33830	Plastic Bur Block, Friction Grip with case
017-33835	Plastic Bur Block, Right Angle with case
017-33855	Bur Block with Lid, Friction Grip/Contra Angle, 15 hole
017-33860	Bur Block with Lid, Friction Grip/Contra Angle, 30 hole
017-33865	Bur Block with Lid, Friction Grip, 15 hole
017-33870	Bur Block with Lid, Friction Grip, 30 hole
75-48	Magnetic Bur Block - White without imprint



013-33810



017-33820



017-33855



75-48



017-27590



017-27521



017-27541



66-312A

66-311

COLLEGE (COTTON) PLIERS

REF	Description
017-27521	MERRIAM Econo Plier, serrated
017-27541	FLAGG Plier, serrated beak
017-27590	Diamond Tipped Plier, stainless steel, 6" long firm grasp
66-311	311 Dental Cotton (College) Pliers, forked tips, smooth
66-312A	312A Dental Cotton (Perry) Pliers, angled, serrated tips
66-317	317 Dental Cotton (College) Pliers, serrated tips
66-317A	317A Dental Cotton (College) Pliers extra fine tips, serrated
66-317B	317B College Pliers, X-fine tips, serrated w/long fine points
66-317S	317 Dental Cotton (College) Pliers, smooth tips
66-318	318 MERIAM Pliers, serrated tips
66-318-49	318-49 College Pliers, non-pinch, fine points, serrated
66-49	49 College Pliers, non-pinch, fine points, serrated
66-652	Cotton Pliers with lock, serrated tips
66-656	Cotton Pliers with lock, grooved tips
V966-317	VANTAGE College Pliers, 6" (15.2 cm), with pin, serrated tips
V966-652	VANTAGE Self-Locking College Pliers 6" (15.2 cm), serrated tips



66-318



66-652
V966-652



66-656



66-317
V966-317



66-317A



66-317B



66-317S



66-318-49



66-49

DIVIDERS & GAUGES

REF	Description
68-693	Crown Gauge, stainless steel
68-694	BOLEY Gauge, stainless steel
68-695	Spring Bow Divider, 4-1/2" (11.4 cm) radius
68-696	Spring Bow Divider, 6" (15.2 cm) radius
68-697	Micro BOLEY Gauge, stainless steel

NEW!



68-697



68-693



68-694



68-695



68-696



Stainless steel tip

Permanently welded stainless steel handle

No seam to crack; no plating to peel or discolor.

All-stainless steel handle

Twice the strength of ordinary brass and chrome-plated handles.

LUXATING ELEVATORS

Luxating Elevators are designed to make extractions as trauma-free as possible by cutting the periodontal ligament while easing the tooth from the socket. It is used by rocking and cutting, rather than lifting and prying like a conventional elevator. Patterns include both straight and curved blades, ranging from 2 mm to 5 mm, and are made of a one-piece stainless steel construction.

REF	Description
DELLUXC2	Luxator- curved tip 2 mm
DELLUXC3	Luxator- curved tip 3 mm
DELLUXC4	Luxator- curved tip 4 mm
DELLUXC5	Luxator- curved tip 5 mm
DELLUXS2	Luxator- straight tip 2 mm
DELLUXS3	Luxator- straight tip 3 mm
DELLUXS4	Luxator- straight tip 4 mm
DELLUXS5	Luxator- straight tip 5 mm

FACT

Miltex Luxating elevators are designed with smaller handles to fit perfectly into the palm of a doctor's hands.

Curved Luxating Elevators



DELLUXC2



DELLUXC3



DELLUXC4



DELLUXC5

Straight Luxating Elevators



DELLUXS2



DELLUXS3



DELLUXS4



DELLUXS5



DELLUXC2



Stainless steel tip

Permanently welded stainless steel handle

No seam to crack; no plating to peel or discolor.

Convenient finger platforms

For proper alignment of hands on the handles.

All-stainless steel handle

Twice the strength of ordinary brass and chrome-plated handles.

ELEVATORS

REF	Description
DEL3	3 Elevator
DEL301	301 Apical Elevator
DEL302	302 Apical Elevator
DEL302HF	302HF Apical Elevator
DEL303	303 Apical Elevator
DEL303HF	303HF Apical Elevator
DEL34	34 Elevator
DEL34S	34S Elevator
DEL46	46 Elevator
DEL77R	77R Elevator, serrated
DEL81	81 Elevator
DELA	COGSWELL Elevator "A"
DEL1L	1L SELDIN Elevator
DEL1R	1R SELDIN Elevator
DEL4L	4L SELDIN Elevator
DEL4R	4R SELDIN Elevator
DEL8	8 CRANE Pick Elevator
DEL25	25 CRYER Elevator
DEL26	26 CRYER Elevator
DEL44	44 CRYER Elevator
DEL45	45 CRYER Elevator
DEL6X	6X POTTS Elevator
DEL7X	7X POTTS Elevator
DEL78	78 Root tip Elevator
DEL79	79 Root tip Elevator
DEL80	80 Root tip Elevator
DELH1	1 HEIDBRINK Root Tip Pick, delicate, straight
DELH2	2 HEIDBRINK Root Tip Pick, delicate, left
DELH2-3	2-3 HEIDBRINK Root Tip Pick, delicate, double ended
DELH3	3 HEIDBRINK Root Tip Pick, delicate, right

FACT

Miltex makes it better, stronger, and more durable with all-stainless steel construction and permanent welding.

Apical Elevators



DEL301



DEL3



DEL302



DEL302HF



DEL303



DEL303HF



DEL34



DEL34S



DEL46



DEL77R



DEL81



DELA

Crane Pick Elevator



DEL8

Seldin Elevators



DEL1L DEL1R DEL4L DEL4R

Cryer Elevators



DEL25 DEL26 DEL44 DEL45

Potts Elevators



DEL6X



DEL7X

FACT

Miltex elevators can be serrated. Just add "SG" after the product number.

Root Tip Elevators



DEL78



DEL79

DEL80

Root Tip Picks



DELH1



DELH2-3



DELH2



DELH3

PERIOSTEALS

REF	Description
DELM9	9 MOLT Periosteal Elevator
DELOHL	OHL Periosteal Elevator
DELPR3	PRICHARD Periosteal Elevator
DELS23	23 SELDIN Periosteal Elevator
DELW2	2 WEST Periosteal Elevator
18-1968	FREER Elevator, 7" (17.8 cm), double end sharp and blunt blades 5 mm
73-64	Baby Molt Periosteal
TK24G	24G Periosteal Tactile Tone double end
TKGF14	GF 14 Periosteal Tactile Tone double end
TKPR3	PR3 Periosteal Tactile Tone double end



DELM9 DELOHL DELPR3 DELS23 DELW2 18-1968 73-64 TK24G TKGF14 TKPR3



DEF1STDTC
Standard Upper Incisors and Cuspids

FLAME-PLATED TUNGSTEN CARBIDE BEAKS

This unique process makes the carbide an integral part of the beak. Handle tips are 24kt gold-plated for easy identification. Far superior to ordinary stainless steel extracting forceps.

- Better Grip
- Longer Wear
- Permanent Serrations

REF	Description
DEF1STDTC	1 Standard Tooth Extracting Forceps, serrated, carbide beaks
DEF17TC	17TC Extracting Forceps, Serrated carbide beaks
DEF150TC	150TC Extracting Forceps, serrated, carbide beaks
DEF150STC	150STC Childrens Extracting Forceps, serrated, carbide beaks
DEF151TC	151TC Extracting Forceps, serrated, carbide beaks
DEF151STC	151STC Childrens Extracting Forceps, serrated, carbide beaks
DEF53LTC	53LTC Extracting Forceps, serrated, carbide beaks
DEF53RTC	53RTC Extracting Forceps, serrated, carbide beaks
DEF65TC	65TC Extracting Forceps, serrated, carbide beaks
DEF69TC	69TC Extracting Forceps, serrated, carbide beaks
DEF849STC	849STC Childrens Extracting Forceps, serrated, carbide beaks
DEF849TC	849TC Extracting Forceps, serrated, carbide beaks
DEF859TC	859TC Extracting Forceps, serrated, carbide beaks
DEF845TC	845TC Extracting Forceps, serrated, carbide beaks

FACT

Miltex carbide beak root tip forceps have probe tips and serrated beaks for easier root tip removal.



DEF17TC
1st & 2nd Lower Molars; Universal



DEF150TC
Upper Incisors, Cuspids, Bicuspids and Roots; Universal



DEF150STC
Pedo, Upper Primary Teeth and Roots; Universal



DEF151TC
Lower Incisors, Cuspids, Bicuspids and Roots; Universal



DEF151STC
Pedo, Lower Primary Teeth and Roots; Universal



DEF53LTC
1st & 2nd Upper Molars; Left



DEF53RTC
1st & 2nd Upper Molars; Right



DEF65TC
Upper Incisors, Roots & Fragments



DEF69TC
Upper and Lower Fragments and Roots



DEF849STC

Upper Root Tips
and Molars;
Delicate, 6 ½"



DEF849TC

Upper Root Tips
and Molars;
Delicate



DEF859TC

Lower Root Tips
and Molars;
Delicate



DEF845TC

Lower Root Tips
and Molars;
Delicate

STAINLESS STEEL EXTRACTING FORCEPS

Miltex Extracting Forceps are made of the finest quality German Stainless Steel and the beaks can be serrated if desired. (V90-XXX part numbers reference economy grade forceps)

REF	Description – Upper Molars
DEF10H	10H Extracting Forceps
DEF10S	10S Extracting Forceps
DEF18L	18L Extracting Forceps
DEF18R	18R Extracting Forceps
DEF24	24 Extracting Forceps
DEF32	32 Extracting Forceps
DEF32A	32A Extracting Forceps
DEF53L	53L Extracting Forceps
DEF53R	53R Extracting Forceps
DEF88L	88L Extracting Forceps
DEF88R	88R Extracting Forceps
DEF89	89 Extracting Forceps
DEF90	90 Extracting Forceps
DEF210H	210H Extracting Forceps
DEF210S	210S Extracting Forceps

REF	Description – Lower Molars
DEF3FS	3FS Extracting Forceps
DEF15	15 Extracting Forceps
DEF16	16 Extracting Forceps
DEF17	17 Extracting Forceps
DEF23	23 Extracting Forceps
DEF85A	85A Extracting Forceps
DEF217	217 Extracting Forceps
DEF222	222 Extracting Forceps

REF	Description – Upper Anteriors
DEF1HEN	1 HENAHAN Extracting Forceps
DEF1STD	1 Standard Extracting Forceps
DEF99C	99C Extracting Forceps
DEF150	150 Extracting Forceps
DEF150A	150A Extracting Forceps
DEF150AS	150AS Extracting Forceps
DEF286	286 Extracting Forceps

REF	Description – Lower Anteriors
DEF151	151 Extracting Forceps
DEF151A	151A Extracting Forceps
DEF151AS	151AS Extracting Forceps
DEF203	203 Extracting Forceps

REF	Description – Upper & Lower Anterior and Splitting
DEF6	6 Extracting Forceps
DEF62	62 Extracting Forceps
DEF101	101 Extracting Forceps

REF	Description – Roots
DEF65	65 Extracting Forceps
DEF69	69 Extracting Forceps
DEF116	WITZEL Root Splinter Forceps, lower
DEF120	WITZEL Root Splinter Forceps, upper

REF	Description – Pedodontic
DEF16S	16S Childrens Extracting Forceps
DEF17S	17S Childrens Extracting Forceps
DEF23S	23S Childrens Extracting Forceps
DEF150S	150S Childrens Extracting Forceps
DEF150XAS	150XAS Extracting Forceps
DEF1501/2S	150 1/2S Childrens Extracting Forceps
DEF151S	151S Childrens Extracting Forceps
DEF151XAS	151XAS Extracting Forceps
DEF1511/2S	115 1/2S Childrens Extracting Forceps

REF	Description – Pedodontic - English Pattern
DEFA	A Childrens Tooth Extracting Forceps
DEFB	B Childrens Tooth Extracting Forceps
DEFC	C Childrens Tooth Extracting Forceps
DEFE	E Childrens Tooth Extracting Forceps
DEFF	F Childrens Tooth Extracting Forceps
DEFH	H Childrens Tooth Extracting Forceps

REF	Description – English Pattern
DEF13	13 Extracting Forceps, English pattern
DEF22	22 Extracting Forceps, English pattern
DEF33	33 Extracting Forceps, English pattern
DEF73	73 Extracting Forceps, English pattern
DEF74	74 Extracting Forceps, English pattern
DEF74N	74N Extracting Forceps, English pattern

REF	Description – MEAD Pattern
DEFMD1	MEAD Extracting Forceps, English pattern
DEFMD2	MEAD Extracting Forceps, English pattern
DEFMD3	MEAD Extracting Forceps, English pattern
DEFMD4	MEAD Extracting Forceps, English pattern



DEF10H
DEF10H-SG
Upper Molars;
Universal



DEF10S
DEF10S-SG
V90-10S
V90-10S-SG
Upper Molars; Universal





DEF18L
DEF18L-SG
1st & 2nd Upper
Molar, Left



DEF18R
DEF18R-SG
1st & 2nd Upper
Molar, Right



DEF24
DEF24-SG
Upper Molars;
Universal



DEF32
DEF32-SG
Upper Cuspids,
Bicuspids and
Molars; Universal



DEF32A
DEF32A-SG
Upper Cuspids, Bicuspids and Molars; Universal



DEF53L
DEF53L-SG
V90-53L
V90-53L-SG
1st & 2nd Upper Molars; Left



DEF53R
DEF53R-SG
V90-53R
V90-53R-SG
1st & 2nd Upper Molars; Right



DEF88L
DEF88L-SG
V90-88L
V90-88L-SG
1st & 2nd Upper Molars; Left



DEF88R
DEF88R-SG
V90-88R
V90-88R-SG
1st & 2nd Upper Molars; Right



DEF89
DEF89-SG
Upper Molars; Right



DEF90
DEF90-SG
Upper Molars; Left



DEF210H
DEF210H-SG
3rd Upper Molar; Universal



DEF210S
DEF210S-SG
3rd Upper Molar; Universal



DEF3FS
DEF3FS-SG
Lower Molars;
Woodward



DEF15
DEF15-SG
1st & 2nd Lower
Molars; Universal



DEF16
DEF16-SG
V90-16
V90-16-SG
1st & 2nd Lower
Molars; Universal;
Cow Horn



DEF17
DEF17-SG
V90-17
V90-17-SG
1st & 2nd Lower
Molars; Universal



DEF23
DEF23-SG
V90-23
V90-23-SG
1st & 2nd Lower
Molars; Universal;
Cow Horn



DEF85A
DEF85A-SG
Lower Molars;
Cuspids and
Bicuspids;
Universal



DEF217
DEF217-SG
1st & 2nd Lower
Molars; Universal



DEF222
DEF222-SG
3rd Lower Molars;
Universal



DEF1HEN
DEF1HEN-SG
Upper Incisors;
Henahan



DEF1STD
DEF1STD-SG
V90-1STD
V90-1STD-SG
Upper Incisors
and Cuspids



DEF99C
DEF99C-SG
Upper Incisors,
Cuspids and
Bicuspids



DEF150
DEF150-SG
V90-150
V90-150-SG
Upper Incisors, Cuspids,
Bicuspids and Roots; Universal



DEF150A
DEF150A-SG
Upper Incisors, Cuspids,
Bicuspids; Universal;
Parallel Beaks



DEF150AS
DEF150AS-SG
Upper Anteriors;
Spilt Beaks;
Serrated



DEF286
DEF286-SG
Upper Bicuspids,
Incisors and
Roots



DEF151
DEF151-SG
V90-151
V90-151-SG
Lower Incisors, Cuspids, Bicuspids and Roots; Universal



DEF151A
V90-151A
Lower Incisors, Cuspids, Bicuspids and Roots; Parallel Beaks



DEF151AS
DEF151AS-SG
Lower Anteriors; Spilt Beaks; Serrated



DEF203
DEF203-SG
Lower Bicuspids, Cuspids, Incisors and Roots; Universal

FACT

Miltex extracting forceps can be serrated to prevent slippage of the tooth during an extraction. To obtain sure-grip serrated beaks, specify "SG" after the product number.



DEF6
DEF6-SG
Upper and Lower Splitting and Separating



DEF62
DEF62-SG
V90-62
V90-62-SG
Upper and Lower Incisors, Cuspids, Bicuspids and Deciduous, Universal



DEF101
DEF101-SG
Upper and Lower Bicuspids and Deciduous; Universal



DEF65
DEF65-SG
V90-65
V90-65-SG
Upper Incisors, Roots and Fragments



DEF69
DEF69-SG
V90-69
V90-69-SG
Upper and Lower Fragments and Roots



DEF116
Witzel Lower Roots; Universal



DEF120
Witzel Upper Roots; Universal



DEF16S

Pedo Lower
Molars; Cow Horn



DEF17S

Pedo Lower
Molars; Universal,



DEF23S

Pedo Lower
Molars; Universal,
Cow Horn



DEF150S
DEF150S-SG
V90-150S
V90-150S-SG

Pedo Upper Incisors, Bicuspids
and Roots; Universal



DEF150XAS
DEF150XAS-SG

Pedo Upper
Anteriors, Split
Beaks, Serrated



DEF150 1/2S
DEF150 1/2S-SG

Pedo Upper Incisors,
Bicuspids and Roots;
Universal



DEF151S
DEF151S-SG
V90-151S
V90-151S-SG
Pedo Lower Incisors, Bicuspids and Roots; Universal



DEF151XAS
Pedo Lower Anteriors, Split Beaks, Searrated



DEF151 1/2S
DEF151 1/2S-SG
Pedo Lower Incisors, Bicuspids and Roots; Universal

FACT

Eliminate children's anxiety with "hide 'em in the hand" extracting forceps.



DEFB
Pedo Lower Root; Universal Mini



DEFA
Pedo Upper Molars; Universal Mini



DEFC
Pedo Lower Molars; Universal Mini



DEFE
Pedo Upper Front; Mini



DEFF
Pedo Upper Root; Universal Mini



DEFH
Pedo Upper and Lower; Universal Mini



DEF13
DEF13-SG
Lower Bicuspids;
Universal



DEF22
DEF22-SG
Lower Molars;
Universal



DEF33
DEF33-SG
Lower Roots



DEF73
Lower Molars;
Universal



DEF74
Lower Roots



DEF74N
Lower Roots;
Narrow Beak



DEFMD2

Upper 1st, 2nd and 3rd Molars, Mead; Universal



DEFMD3

Lower Incisors, Cuspids, Bicuspids and Roots, Mead; Universal



DEFMD4

Lower 1st, 2nd, and 3rd Molars, Mead; Universal



DEFMD1

Upper Incisors, Cuspids, Bicuspids and Roots, Mead; Universal

CERAM-A-GRIP® EXTRACTING FORCEPS

The Ceram-A-Grip® extracting forceps beaks are coated with a ceramic material which is hard and durable. This coating improves the gripping power of the instrument.

REF	Description
V90-1STD-CG	CERAM-A-GRIP 1 STD Extracting Forceps
V90-10S-CG	CERAM-A-GRIP 10S Extracting Forceps
V90-16-CG	CERAM-A-GRIP 16 Extracting Forceps
V90-17-CG	CERAM-A-GRIP 17 Extracting Forceps
V90-23-CG	CERAM-A-GRIP 23 Extracting Forceps
V90-53L-CG	CERAM-A-GRIP 53L Extracting Forceps
V90-53R-CG	CERAM-A-GRIP 53R Extracting Forceps
V90-62-CG	CERAM-A-GRIP 62 Extracting Forceps, serrated
V90-65-CG	CERAM-A-GRIP 65 Extracting Forceps
V90-69-CG	CERAM-A-GRIP 69 Extracting Forceps
V90-88L-CG	CERAM-A-GRIP 88L Extracting Forceps
V90-88R-CG	CERAM-A-GRIP 88R Extracting Forceps
V90-150-CG	CERAM-A-GRIP 150 Extracting Forceps
V90-150S-CG	CERAM-A-GRIP 150S Extracting Forceps
V90-151-CG	CERAM-A-GRIP 151 Extracting Forceps
V90-151S-CG	CERAM-A-GRIP 151S Extracting Forceps



V90-1STD-CG
Standard Upper Incisors and Cuspids



V90-150-SG
Upper Incisors, Cuspids, Bicuspids and Roots; Universal



V90-10S-CG
Upper Molars; Universal



V90-16-CG
1st & 2nd Lower Molars; Universal; Cow Horn



V90-17-CG
1st & 2nd Lower Molars; Universal



V90-23-CG
1st & 2nd Lower Molars; Universal; Cow Horn



V90-53L-CG
1st & 2nd Upper Molars; Left



V90-53R-CG
1st & 2nd Upper Molars; Right



V90-62-CG
Upper and Lower Incisors, Cuspids, Bicuspids and Deciduous; Universal



V90-65-CG
Uper Incisors, Roots and Fragments



V90-69-CG
Upper and Lower Fragments and Roots



V90-88L-CG
1st & 2nd Upper Molars; Left



V90-88R-CG
1st & 2nd Upper Molars; Right



V90-150S-CG
Pedo Upper Incisors, Bicuspids and Roots; Universal



V90-151-CG
Lower Incisors, Cuspids, Bicuspids and Roots; Parallel Beaks



V90-151S-CG
Pedo Lower Incisors, Bicuspids and Roots; Universal

UPPER FORCEPS

REF	Incisors	Cuspids	Bicuspids	Universal Molar	1st Molar	2nd Molar	3rd Molar	Roots	Pedodontic	TC	Vantage	Ceram-a-Grip®
DEF1STD	•	•								•	•	•
DEF1HEN	•	•										
DEF10H				•								
DEF10S				•							•	•
DEF18L					•	•						
DEF18R					•	•						
DEF24				•								
DEF32		•	•	•								
DEF32A		•	•	•				•				
DEF53L					•	•				•	•	•
DEF53R					•	•				•	•	•
DEF65								•		•	•	•
DEF69			•					•		•	•	•
DEF88L				•							•	•
DEF88R				•							•	•
DEF89				•								
DEF90				•								
DEF99C	•											
DEF101			•									
DEF120								•				
DEF150	•	•	•							•	•	•
DEF150A	•	•	•									
DEF150AS	•	•	•									
DEF150S									•	•	•	•
DEF150XAS									•	•		
DEF210S				•			•					
DEF210H				•			•					
DEF286			•									
DEF849TC								•		•		
DEF849STC								•		•		
DEFA				•					•			
DEFE	•	•							•			
DEFF								•	•			
DEFH		•	•						•			
DEFMD1	•	•	•					•				
DEFMD2				•								

LOWER FORCEPS

REF	Incisors	Cuspids	Bicuspids	Universal Molar	1st Molar	2nd Molar	3rd Molar	Roots	Pedodontic	TC	Vantage	Ceram-a-Grip®
DEF3FS				•								
DEF13			•									
DEF15					•	•						
DEF16					•	•					•	•
DEF16S					•	•						
DEF17				•					•			
DEF17S					•	•					•	•
DEF22				•								
DEF23					•	•					•	
DEF23S				•					•			•
DEF33		•	•									
DEF62	•	•	•								•	•
DEF73				•								
DEF74								•				
DEF74N								•				
DEF85A		•	•	•								
DEF101			•					•				
DEF103	•		•									
DEF116								•				
DEF120								•				
DEF151	•	•	•					•	•	•	•	•
DEF151A	•	•	•					•				
DEF151AS	•	•	•					•				
DEF151S	•	•	•					•	•	•	•	•
DEF151XAS	•	•	•									
DEF203	•	•	•					•				
DEF217					•	•						
DEF222							•					
DEF845TC								•		•		
DEF859TC								•		•		
DEFB								•	•			
DEFMD3	•	•	•					•				
DEFMD4				•								

HEMOSTATIC FORCEPS

REF	Description
7-2	HALSTED Mosquito Forceps, straight, 5"
V97-2	VANTAGE HALSTED Mosquito Forceps, 4-7/8", straight
7-4	HALSTED Mosquito Forceps, curved, 5"
V97-4	VANTAGE HALSTED Mosquito Forceps, 4-7/8", curved
7-14	HALSTED Mosquito Forceps 1 X 2 teeth, straight, 5"
7-16	HALSTED Mosquito Forceps 1 X 2 teeth, curved, 5"
7-20	HALSTED Mosquito Forceps, jaws angled 45 degrees on flat, extra delicate, 5"
7-24	HARTMAN Mosquito Forceps, 3-1/2" (8.9 cm), straight
V97-24	VANTAGE HARTMAN Mosquito Forceps, 3-1/2" (8.9 cm), straight
7-26	HARTMAN Mosquito Forceps, 3-1/2" (8.9 cm), curved
V97-26	VANTAGE HARTMAN Mosquito Forceps, 3-1/2" (8.9 cm), curved
7-36	KELLY Forceps, 5-1/2" (14 cm), straight
V97-36	VANTAGE KELLY Forceps, 5-1/2" (14 cm), straight
7-38	KELLY Forceps, 5-1/2" (14 cm), curved
V97-38	VANTAGE KELLY Forceps, 5-1/2" (14 cm), curved
18-1202	DESMARRES Chalazion Forceps, 3-1/2" (8.9 cm), medium size



7-4
V97-4

7-2
V97-2



7-16



7-14



7-20



7-26
V97-26

7-24
V97-24



7-38
V97-38

7-36
V97-36



18-1202

DRESSING & TISSUE FORCEPS

REF	Description
6-4	Dressing Forceps, standard pattern serrated handles, 4-1/2" (11.4 cm)
6-8	Dressing Forceps, standard pattern serrated handles, 5-1/2" (14cm)
6-10	Dressing Forceps, standard pattern serrated handles, 6" (15.2 cm)
6-30TC	Carb-N-Sert Dressing Forceps, 6" (15.2 cm), cross serrated tips
6-44	Tissue Forceps 1 X 2 teeth, standard pattern serrated handles, 5 1/2" (14cm)
6-46	Tissue Forceps 1 X 2 teeth, standard pattern serrated handles, 6" (15.2 cm)
6-104	SEMKEN Dressing Forceps, serrated, 5" (12.7cm)
6-107	SEMKEN Tissue Forceps 1 X 2 teeth, curved tips, 5" (12.7cm)
6-109	SEMKEN Dressing Forceps, 6" (15.2 cm), serrated
6-109A	SEMKEN Tissue Forceps 1 X 2 teeth, 6" (15.2 cm)
6-118	ADSON Dressing Forceps, 4-3/4" (12.1 cm), delicate, serrated
6-118A	ADSON Dressing Forceps, 4-3/4" (12.1 cm), delicate, angled, serrated
6-118TC	ADSON Dressing Forceps, 4-3/4" (12.1 cm), cross serrated tips
6-120	ADSON Tissue Forceps 1 X 2 teeth, 4-3/4" (12.1 cm), delicate
6-124	BROWN-ADSON Tissue Forceps, 7 X 7 teeth, 4-3/4" (12.1 cm)
6-138	BROWN Tissue Forceps 8 X 8 teeth, 6" (15.2 cm)
6-142	RUSSIAN Tissue Forceps, 6" (15.2 cm)
16-3	Baby ALLIS Tissue Forceps, 4 X 5 teeth, extra delicate jaws 2.5mm wide, 5"
16-4	Baby ALLIS Tissue Forceps, 5-1/2" (14 cm), 4 X 5 teeth, delicate jaws
16-6	ALLIS Tissue Forceps, 6" (15.2 cm), 4 X 5 teeth
16-8	ALLIS Tissue Forceps, 6" (15.2 cm), 5 X 6 teeth
16-20	ALLIS Tissue Forceps, 6" (15.2 cm), 4 X 5 teeth, angular jaws
16-22	ALLIS Tissue Forceps, 6" (15.2 cm), 5 X 6 teeth, angular jaws
18-779	Eye Dressing Forceps, 4" (10.2 cm), straight, extra delicate patern
18-785	IRIS Tissue Forceps, 4" (10.2 cm), 1 X 2 teeth, straight, extra delicate



6-4 6-8 6-10 6-30TC 6-44 6-46



6-104 6-109 6-109A 6-107

FACT

Dressing Forceps have serrated beaks to prevent slippage of materials during use.



6-118 6-118A 6-118TC 6-120 6-124 6-138 6-142 18-779 18-785



16-8 16-20 16-22



16-3
16-4



16-6

THOMPSON™ CASSETTES

Features and Benefits

1. Unique flow-through design allows for effective rinsing and cleaning.
2. Medical grade silicone provides instrument retention when lid is closed.
3. Full length hinge provides stable and secure attachment to cassette.
4. Riveted stainless steel rack provides a secure base for placing instruments.
5. Quick and easy push button release provides a positive lock when closed.
6. Pre-stamped tabs allow for custom coding of cassettes.
7. Double-hinged lid folds under for easy storage during use.
8. Self-lubricating plastic hinge pin will not corrode during repeated sterilization and provides smooth mechanical movement.
9. Various interior configurations to meet all storage needs.
10. Passivated stainless steel provides aesthetic finish and corrosion protection.



Thompson™ Tuck–Away™ Lid

The Thompson™ Tuck-Away™ lid is a double-hinge lid designed to conveniently fold under the cassette, offering the following advantages:

- Tucks away to store during procedures.
- Insures lid is not misplaced during procedures.
- Saves valuable space over single-hinge lids.
- Provides incline for better instrument viewing and access during procedures.


Lid closed


Lid open


Lid folded under

Factory Installed Accessories

Factory installed accessories add to the flexibility of the Thompson™ cassettes.


Sharpening Stone Holder


Needle Recapper


Lid Clips



Single Rack cassette



Double Rack cassette



Utility cassette

Thompson™ Cassettes

The Thompson cassettes are manufactured with passivated stainless steel, feature the Thompson Tuck-Away lid* and are available in a variety of sizes and configurations to meet all storage needs.

Thompson cassettes are available in several options:

Single Rack Cassettes — Cassette contains a single riveted rack to accommodate various hand instruments. Several sizes available to hold five to 26 instruments.

Double Rack Cassettes — Cassette contains additional removable rack for double stacking instruments.

Utility Cassettes — Cassette does not contain an instrument rack, making it ideal for ring-handled and larger sized instrumentation.

* Thompson 5 cassette features single-hinged lid.



Thompson™ 5 Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
3-083005	Thompson 5 Utility	8 x 3 13/16 x 1 1/8	204 x 81 x 30
3-083105	Thompson 5 Single Rack	8 x 3 13/16 x 1 1/8	204 x 81 x 30
3-083210	Thompson 5 Double Rack	8 x 3 13/16 x 1 1/8	204 x 81 x 30



Thompson™ 7 Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
3-084007	Thompson 7 Utility	8 x 4 7/8 x 1 1/8	204 x 124 x 28.5
3-084107	Thompson 7 Single Rack	8 x 4 7/8 x 1 1/8	204 x 124 x 28.5
3-084214	Thompson 7 Double Rack	8 x 4 7/8 x 1 1/8	204 x 124 x 28.5

Thompson™ 9 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-085009	Thompson 9 Utility	8 x 6 x 1 3/16	204 x 154 x 30
3-085109	Thompson 9 Single Rack	8 x 6 x 1 3/16	204 x 154 x 30
3-085218	Thompson 9 Double Rack	8 x 6 x 1 3/16	204 x 154 x 30



Thompson™ 10 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-089110	Thompson 10	8 x 9 x 1 1/8	204 x 229 x 28.5



Thompson™ 14 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-118114	Thompson 14	8 x 10 7/8 x 1 3/16	204 x 276.5 x 30





Thompson™ 16 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-118116	Thompson 16	8 x 10 7/8 x 1 3/16	204 x 276.5 x 30



Thompson™ 22 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-118122	Thompson 22	8 x 10 7/8 x 1 3/16	204 x 276.5 x 30



Thompson™ 26 Cassette

		Dimensions	
Catalog Number	Description	Inches	Millimeters
3-139126	Thompson 26	9 1/8 x 13 x 1 3/16	232 x 330 x 30

Slimline Cassettes

The Thompson Slimline cassettes feature a single-hinged lid and reduced profile, making them ideal for the Statim® brand autoclave and other smaller sterilizers. All Slimline cassettes are manufactured from passivated stainless steel which provides an aesthetic finish and corrosion protection.

Slimline 7

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
3-072007	Slimline 7	7 x 2 5/8 x 11/16	178 x 67 x 17
3-082008	Slimline 7 extended	8 x 2 5/8 x 11/16	203 x 127 x 17
STDSL27	Deep Slimline 7	7 x 2 5/8 x 1	178 x 67 x 25



Slimline 14

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
3-072014	Slimline 14	7 x 4 5/8 x 11/16	178 x 115 x 17



Specialty Cassettes

In addition to the Slimline and Thompson series cassettes, Miltex also offers a variety of specialty cassettes designed for various applications.



Statim® Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDSTAT	Statim Cassette	7 x 10 5/8 x 1 1/2	178 x 270 x 38



Statim8® Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDSTAT8	Statim8 Cassette	6 3/4 x 8 1/8 x 1 1/8	171 x 206 x 29

Small Surgical Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDBOS	Small Surgical Cassette	7 x 3 x 1 3/8	178 x 76 x 35



Medium Surgical Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDBOM	Medium Surgical Cassette	10 x 5 1/2 x 4	254 x 140 x 102



Large Surgical Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDBOL	Large Surgical Cassette	11 x 8 x 4	279 x 203 x 102





Orthodontic Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
STDORTHO	Ortho Cassette	5 x 7 x 2	127 x 178 x 51
STDORTHOS	Small Ortho Cassette	6 1/2 x 2 1/4 x 2	165 x 57 x 51



Handpiece/Accessory Cassette

		Dimensions	
Catalog Number	**Description**	**Inches**	**Millimeters**
3-080205	Handpiece/ Accessory Cassette	8 x 2 3/16 x 1 7/16	204 x 71 x 37

FACT

Using cassettes for procedural setups is an excellent way to efficiently organize, clean and sterilize instruments for specific procedures.

Cassette Accessories

These accessories can be used as stand-alone items or in conjunction with the Thompson cassettes.

Bur Holder

Catalog Number	Description
STDBH	12 hole bur holder
STDBH6	6 hole bur holder
STDBHS	6 hole surgical bur holder



Small Parts Box

		Dimensions	
Catalog Number	Description	Inches	Millimeters
STDPB	Small Parts Box	1 2/3 x 1 1/3 x 1	42 x 33 x 26



Endodontic Stands

Catalog Number	Description
STDES60	Endo Stand, 60 hole
STDES72	Endo Stand, 72 hole



REF	Description
3-700	MILTEX Spray Lubricant, 8 fl. oz. spray bottle (0.24 liters) (case of 12)*
3-720	MILTEX Surgical Instrument Cleaner, 8 fl. oz. bottle (0.24 liters). Contents of 8 oz. bottle makes 32 gallons of solution.
3-725	MILTEX Surgical Instrument Cleaner, 1-gallon bottle (3.78 liters) (case of 4)*. Contents of 1-gallon bottle makes 512 gallons of solution.
3-726	MILTEX Surgical Instrument Cleaner, Box 80 – 1/4 oz. (7.4 ml) packets. Contents of 1 box makes 80 gallons of solution.
3-740	MILTEX Surgical Instrument Stain Remover, 3 oz. (85g) jar (case of 12)*
3-750	MILTEX EZ-Zyme®, All Purpose Enzyme Cleaner, Box 32 – 3/4 oz. (22 ml) packets. Contents of 1 box makes 32 gallons of solution.
3-755	MILTEX EZ-Zyme®, All Purpose Enzyme Cleaner, 1-gallon bottle (3.78 liters) (case of 4)*. Contents of 1-gallon bottle makes 170 gallons of solution.
3-760	MILTEX Instrument Prep Enzyme Foam, 24 oz. (0.71 liters) spray bottles (case of 12)*
3-800	MILTEX Instrument Care System Kit includes one each of Spray Lube, Surgical Instrument Cleaner (8 oz.), Surgical Instrument Stain Remover, Instrument Care Video, Nylon Brush, Stainless Steel Brush.
3-810	MILTEX Instrument Care Video, 25-minute instructional video designed to help practitioners and staff properly care for instruments
3-1000	MILTEX Nylon Instrument Cleaning Brushes, 7-1/4" (18.4 cm) (set of 3)
3-1001	MILTEX Stainless Steel Instrument Cleaning Brushes, 7-1/4" (18.4 cm) (set of 3)

* See Dental Dealer for smaller quantities

MILTEX® INSTRUMENT CARE & CLEANING PRODUCTS

The Miltex care and cleaning product portfolio is designed to provide optimum cleaning performance and will help to prolong the service life of valuable surgical and dental instrumentation. Many products are available in multiple sizes, including single-dose packets for ease of use, space-saving 8 oz. bottles, and 1-gallon bulk containers with pump dispensers.





SILITONE™ COLOR BANDS

Silitone™ color bands are made from medical-grade silicone and can withstand temperatures up to 450° F. Silitone bands are expandable from 4 mm to 12 mm and are available in a variety of colors. 50 per pack except kits.

REF	Description
VST	Kit 480 pieces
VSTA	Kit 120 pieces
VSTSA	GREY
VSTSB	BLUE
VSTSD	GOLD
VSTSG	GREEN
VSTSK	BLACK

REF	Description
VSTSL	LIGHT BLUE
VSTSN	BROWN
VSTSP	PINK
VSTSR	RED
VSTSU	PURPLE
VSTSW	WHITE
VSTSY	YELLOW

TAPE 'N TELL ADHESIVE STRIPS

Can also be used for color coding instruments and procedural kits.

REF	Description
017-48220	TAPE'N'TELL WHITE
017-48221	TAPE'N'TELL YELLOW
017-48222	TAPE'N'TELL RED
017-48223	TAPE'N'TELL BLUE
017-48224	TAPE'N'TELL GREEN
017-48225	TAPE'N'TELL BLACK
017-48226	TAPE'N'TELL ORANGE
017-48227	TAPE'N'TELL BROWN
017-48230	TAPE'N'TELL 8 ASST.



TIP-IT™ INSTRUMENT GUARDS

Tip-It™ Instrument Guards are used to protect instrument tips and edges from damage during instrument handling and sterilization. Steam and gas sterilizable. 50 per pack.





REF Clear Vented	REF Tinted Vented	REF Solid Vented	REF Solid Non-Vented	Dimension	Size Code	Color
3-2501C	3-2501T	3-2501V	3-2501	1/16" X 3/4" (1.6mm X 19mm)	1	White*
3-2502C	3-2502T	3-2502V	3-2502	5/64" X 3/4" (2mm X 19mm)	2	Blue*
3-2503C	3-2503T	3-2503V	3-2503	7/64" X 3/4" (2.8mm X 19mm)	3	Green*
3-2504C	3-2504T	3-2504V	3-2504	1/8" X 1" (3.2mm X 25.4mm)	4	Red*
3-2505C	3-2505T	3-2505V	3-2505	3/16" X 1" (4.8mm X 25.4mm)	5	Yellow*
3-2506C	3-2506T	3-2506V	3-2506	13/32" X 3/4" (10.3mm X 19mm)	6	Maroon*
3-2507C	3-2507T	3-2507V	3-2507	1/16" X 3/8" X 1" (1.6mm X 9.5mm X 25.4mm)	7	Orange*
3-2508C	3-2508T	3-2508V	3-2508	5/64" X 5/8" X 1" (2mm X 16mm X 25.4mm)	8	Brown*
3-2509C	3-2509T	3-2509V	3-2509	1/8" X 1" X 1" (3.2mm X 25.4mm X 25.4mm)	9	Black*
3-2510C	3-2510T	3-2510V	3-2510	Assorted, equal number of sizes plus 5		

* Color does not apply to clear vented pattern

SHARPENERS



DTS

DTST

Thompson™ Sticks

Sterilizeable sticks used for checking instrument sharpness/edge. Available in clear and black.

REF	Description
DTS	Thompson Delron Sharpening test stick black (6)
DTST	Thompson Delron Sharpening test stick clear (6)

Sharpening Stones & Honing Oil

Miltex sharpening stones and honing oil provides clinicians with the proper tools for re-establishing an instrument's proper cutting edge. The honing oil should be used with the Arkansas and India Stones.

REF	Description
STN-ARK-CON	Stone, Arkansas Conical
STN-ARK-FLT-4	Stone, Arkansas No. 4 Flat
STN-IND-CON-309	Stone, India No. 309, Fine Grit
STN-IND-FLT-1	Stone, India No. 1 Flat, Fine Grit
STN-IND-WDG-6	Stone, India No. 6 Wedge, Medium Grit
STN-OIL	Oil, Honing

NEW!

STN-ARK-CON

NEW!



STN-ARK-FLT-4

NEW!



STN-IND-CON-309

NEW!



STN-IND-FLT-1

NEW!



STN-IND-WNG-6

Thompson Precision™ Sharpeners

Thompson Precision™ Sharpeners do not require lubricant and may be sterilized by any method.

REF	Description
SP2	DOUBLE GRIT Precision synthetic stone
SPC	COARSE Precision synthetic Stone
SPF	FINE Precision synthetic stone
SPM	MEDIUM Precision synthetic stone



Moyco® Instrument Sharpeners

REF	Description
560-26490	Instrument Sharpener #5 3/16"
560-26510	Instrument Sharpener #7 1/4"
560-26530	Instrument Sharpener #9 5/16"
560-26550	Instrument Sharpener #11 7/16"
560-26570	Instrument Sharpener #14 9/16"
560-26590	Instrument Sharpener #17 5/8"
560-26610	Instrument Sharpener 6/Set (one of each number)



Miltex® Edge Scissor Sharpeners

REF	Description
5-5000	MILTEX Edge Scissors Sharpener, not intended for serrated or SuperCut scissors



STERILIZING INSTRUMENTS

Sterilizing & Grasping Forceps

REF	Description
3-2	DAVIS Sterilizer Forceps, 6" (15.2 cm)
3-4	DAVIS Sterilizer Forceps, 10" (25.4 cm)
3-10	Three prong Sterilizer Forceps, 8" (20.3 cm)
3-20	Utility-Sterilizer Forceps, 8" (20.3 cm), straight
3-24	Utility-Sterilizer Forceps, 11" (27.9 cm), straight
3-22	Utility-Sterilizer Forceps, 8" (20.3 cm), curved
3-26	Utility-Sterilizer Forceps, 11" (27.9 cm), curved
65-25	Grasping Forceps, non-magnetic, gold plated ends



3-2
3-4



65-25



3-10



3-20
3-24



3-22
3-26

MESH BUR & DIAMOND HOLDER

REF	Description
65-28	Mesh Bur and Diamond Holder, large
65-29	Mesh Bur and Diamond Holder, small



65-28
65-29

CSR WRAP INDICATOR TAPE & STEAM INDICATOR STRIP

REF	Description
STD1515	CSR wrap 15x15 1000/case
STD2020	CSR wrap 20x20 500/case
STD2424	CSR wrap 24x24 500/case
STDSTEAM	STEAM autoclave tape 3/4" x 60 yards
STDIND	STEAM INDICATR STRIPS 250
STDDRY	Dry heat labels (1000)



STD1515

MOUTH GAGS

REF	Description
2-154	DENHARDT Mouth Gag with grip lock
63-10	MOLT Mouth Gag, pediatric size, fitted with silicone tubing
63-10A	Silicon Guards for pediatric size MOLT Mouth Gag, 63-10
63-15	MOLT Mouth Gag, child size, fitted with silicone tubing
63-15A	Silicon Guards for child size MOLT Mouth Gag
63-20	MOLT Mouth Gag, adult size, fitted with silicone tubing
63-20A	Silicon Guards for adult size MOLT Mouth Gag



2-154



63-10
63-10A



63-15
63-15A



63-20
63-20A

TUNGSTEN CARBIDE NEEDLE HOLDERS

REF	Description
8-3TC	PAR Needle Holder, 4-1/2" (11.4 cm), delicate serrated jaws, CARB-N-SERTS jaws
8-4TC	DERF Needle Holder, 4-3/4" (12.1cm), serrated jaws, CARB-N-SERTS jaws
8-5TC	PAR Needle Holder, 5", delicate serrated jaws, CARB-N-SERTS jaws
8-8TC	HALSEY Needle Holder, smooth jaws, standard pattern, CARB-N-SERT jaws
8-8A-TC	HALSEY Needle Holder, serrated jaws, CARB-N-SERT jaws
8-15TC	OLSEN-HEGAR Needle Holder with Suture Scissors, 5-1/2" (14 cm), serrated jaws, CARB-N-SERT jaws
8-16TC	OLSEN-HEGAR Needle Holder with Suture Scissors, 6-1/2" (16.5 cm, serrated, CARB-N-SERT jaws
8-28TC	MATHIEU Needle Holder, 5-1/2" (14 cm), serrated jaws, CARB-N-SERT jaws
8-30TC	MATHIEU Needle Holder, 6-1/4" (15.9 cm), serrated jaws, CARB-N-SERT jaws
8-40TC	BAUMGARTNER Needle Holder, 5-1/2" (14 cm), serrated jaws, CARB-N-SERT jaws
8-42TC	MAYO-HEGAR Needle Holder, serrated jaws, CARB-N-SERT jaws
8-44TC	MAYO-HEGAR Needle Holder, 6" (15.2 cm), serrated jaws, CARB-N-SERT jaws
8-50TC	CRILE-WOOD Needle Holder, 6" (15.2 cm), serrated jaws, CARB-N-SERT jaws
8-65TC	RYDER-Type Intracardiac Needle Holder, extra delicate, serrated jaws, CARB-N-SERT jaws
8-103TC	RYDER Needle Holder, 6" (15.2 cm), serrated jaws, CARB-N-SERT jaws
8-706TC	WEBSTER Quick Release Needle Holder, smooth jaws, CARB-N-SERT jaws
8-750TC	CRILE-WOOD Quick Release Needle Holder, 6" (15.2 cm), serrated jaws, CARB-N-SERT jaws
18-1828TC	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), with smooth jaws, staight, CARB-N-SERT jaws
18-1828A-TC	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), straight, with serrated jaw, CARB-N-SERT jaws
18-1832TC	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), with smooth jaws, curved, CARB-N-SERT jaws
18-1832A-TC	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), curved, with lock, serrated, CARB-N-SERT jaws



8-3TC
8-5TC



8-4TC

FACT

Tungsten Carbide Needle Holders offer longer wear and the best gripping power to prevent needle slippage.



8-8A-TC



8-15TC
8-16TC



8-28TC
8-30TC



8-40TC



8-42TC
8-44TC



8-50TC



8-65TC



8-103TC



8-706TC



8-750TC



18-1828TC
18-1828A-TC



18-1832TC
18-1832A-TC



8-4
V98-4



8-6
V98-6

STAINLESS STEEL NEEDLE HOLDERS

REF	Description
8-4	DERF Needle Holder, 4-3/4" (12.1cm)
V98-4	VANTAGE DERF Needle Holder, 4-3/4" (12.1 cm)
8-6	WEBSTER Needle Holder, delicate, smooth jaws, standard pattern
V98-6	VANTAGE WEBSTER Needle Holder, smooth jaws
8-15	OLSEN-HEGAR Needle Holder with Suture Scissors, 5-1/2" (14 cm), serrated
V98-15	VANTAGE OLSEN-HEGAR Needle Holder, 5-1/2" (14 cm)
8-16	OLSEN-HEGAR Needle Holder with Suture Scissors, 6-1/2" (16.5 cm), serrated
V98-16	VANTAGE OLSEN-HEGAR Needle Holder, 6-1/2" (16.5 cm)
8-26	BOYNTON Needle Holder, delicate
8-28	MATHIEU Needle Holder, 5-1/2" (14 cm), spring handles
V98-28	VANTAGE MATHIEU Needle Holder, 5-1/2" (14 cm)
8-30	MATHIEU Needle Holder, 6-1/4" (15.9 cm), spring handles
8-40	BAUMGARTNER Needle Holder, 5-1/2" (14 cm)
V98-40	VANTAGE BAUMGARTNER Needle Holder, 5-1/2" (14 cm)
8-42	MAYO-HEGAR Needle Holder, 5" (12.7 cm)
V98-42	VANTAGE MAYO-HEGAR Needle Holder, 5" (12.7 cm)
8-44	MAYO-HEGAR Needle Holder, 6" (15.2 cm)
V98-44	VANTAGE MAYO-HEGAR Needle Holder, 6" (15.2 cm)
8-50	CRILE-WOOD Needle Holder, 6" (15.2 cm)
V98-50	VANTAGE CRILE-WOOD Needle Holder, 6" (15.2 cm)
8-51	CRILE-WOOD Needle Holder, 7" (17.8 cm)
8D-36	HALSEY Needle Holder, serrated jaws
18-1828	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), straight, with lock
18-1832	CASTROVIEJO Needle Holder, 5-1/2" (14 cm), curved, with lock
70-176	ROSS Perio Needle Holder, 5-1/2", curved jaws, delicate

FACT

OLSEN-HEGAR Needle Holders are available in a combination pattern with suture scissors.



8-15
V98-15
8-16
V98-16



8-26



8-28
V98-28
8-30



8-40
V98-40



8-42
V98-42
8-44
V98-44



8-50
V98-50
8-51



8D-36



18-1828
18-1832



70-176

FACT

Miltex needle holders are made from the finest quality German-grade stainless steel, which ensures a high quality product.

CERAM-A-GRIP®
NEEDLE HOLDERS

REF	Description
8-4CG	DERF Needle Holder, 4-3/4" (21.1 cm), with CERAM-A-GRIP coated jaws
8-6CG	WEBSTER Needle Holder, 5-1/4" (13.3 cm), delicate, standard pattern, smooth CERAM-A-GRIP coated jaws
8-7CG	WEBSTER Needle Holder, 4-3/4" (12.1 cm), extra delicate, smooth CERAM-A-GRIP coated jaws
8-8CG	HALSEY Needle Holder, 5" (12.7 cm), smooth CERAM-A-GRIP coated jaws
8-15CG	OLSEN-HEGAR Needle Holder with Suture Scissors, 5-1/2" (14 cm), CERAM-A-Grip coated jaws
8-16CG	OLSEN-HEGAR Needle Holder with Suture Scissors, 6-1/2" (16.5 cm), CERAM-A-GRIP coated jaws
8-40CG	BAUMGARTNER Needle Holder, 5-1/2" (14 cm), CERAM-A-GRIP coated jaws
8-42CG	MAYO-HEGAR Needle Holder, 5" (12.7 cm), CERAM-A-GRIP coated jaws
8-44CG	MAYO-HEGAR Needle Holder, 6" (15.2 cm), CERAM-A-GRIP coated jaw
8-46CG	MAYO-HEGAR Needle Holder, 7" (17.8cm), CERAM-A-GRIP coated jaws
8-48CG	MAYO-HEGAR Needle Holder, 8" (20.3 cm), CERAM-A-GRIP coated jaw
8-50CG	CRILE-WOOD Needle Holder, 6" (15.2 cm), CERAM-A-GRIP coated jaw
8-51CG	CRILE-WOOD Needle Holder, 7" (17.8 cm), CERAM-A-GRIP coated jaw
8-52CG	CRILE-WOOD Needle Holder, 8" (20.3 cm), CERAM-A-GRIP coated jaw



8-4CG



8-6CG

FACT

Exclusive ceramic material is fusion-bonded and becomes part of the needle holder's jaw. This provides extra gripping strength and durability.



8-7CG



8-8CG



8-15CG 8-16CG

8-15CG
8-16CG



8-40CG



8-42CG 8-44CG 8-46CG 8-48CG

8-42CG
8-44CG
8-46CG
8-48CG



8-50CG 8-51CG 8-52CG

8-50CG
8-51CG
8-52CG

SURGICAL NEEDLES

REF	Description
MSRC-14	Regular Surgeon's Needles, 1/2 circle, reverse cutting edge
MSRC-18	Regular Surgeon's Needles, 1/2 circle, reverse cutting edge
MS140-14	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-15	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-16	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-17	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-18	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-19	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140-20	Regular Surgeon's Needles, 3/8 circle, cutting edge, reverse cutting
MS140S-14	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-15	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-16	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-17	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-18	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-19	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS140S-20	Regular Surgeon's Needles, 3/8 circle, with spring eye, reverse cutting
MS141-8	Regular Surgeon's Needles, 1/2 curved, cutting edge
MS141-9	Regular Surgeon's Needles, 1/2 curved, cutting edge
MS141-10	Regular Surgeon's Needles, 1/2 curved, cutting edge
MS141-11	Regular Surgeon's Needles, 1/2 curved, cutting edge
MS141-12	Regular Surgeon's Needles, 1/2 curved, cutting edge
MS155-1	LANE'S Cleft Palate Needles, 3/8 circle, cutting edge
MS155-2	LANE'S Cleft Palate Needles, 3/8 circle, cutting edge
MS155-3	LANE'S Cleft Palate Needles, 3/8 circle, cutting edge
MS155-4	LANE'S Cleft Palate Needles, 3/8 circle, cutting edge
MS155-5	LANE'S Cleft Palate Needles, 3/8 circle, cutting edge
MS156-1	LANE'S Cleft Palate Needles, 1/2 circle, cutting edge
MS156-2	LANE'S Cleft Palate Needles, 1/2 circle, cutting edge
MS156-3	LANE'S Cleft Palate Needles, 1/2 circle, cutting edge
MS156-4	LANE'S Cleft Palate Needles, 1/2 circle, cutting edge
MS156-5	LANE'S Cleft Palate Needles, 1/2 circle, cutting edge

REF	Description
MS192-14	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-15	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-16	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-17	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-18	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-19	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192-20	Regular Surgeon's Needles, 1/2 circle, cutting edge
MS192S-14	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-15	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-16	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-17	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-18	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-19	Surgeon's Needles, 1/2 circle, with spring eye
MS192S-20	Surgeon's Needles, 1/2 circle, with spring eye
MS177	JAMESON STRABISMUS Cutting edge
3-50	Sterilizer Spiral Rack for Surgical Needles



MSRC-14
MSRC-18



MS141-XX



MS140-XX



MS140S-XX



MS192-XX



MS-192S-XX



MS155-XX



MS156-XX



MS177



3-50

PERIOTOMES

Periotomes are designed for separating the periodontal ligament fibers from the tooth in preparation for a dental implant. The Periotomes are available in three double-ended styles-straight blade, hatchet-blade, and hoe-blade patterns, giving the user a wide variety of blade options. All instruments feature a lightweight size 6 stainless steel handle.

REF	Description
70-170	Periotome Straight Double Ended
70-171	Periotome Hatchet Double Ended
70-172	Periotome Hoe Double Ended
70-177	Periotome Kit





017-31610



017-31611

RETRACTORS

REF	Description
017-31610	Spandex Lip Retractor - Adult
017-31611	Spandex Lip Retractor - Child
017-31620	Lip Retractor, Adult
017-31621	Lip Retractor, Child
017-31622	Lip Retractor, Double End
22-2	WIEDER Cheek Tongue Retractor, small blade 28 mm wide, serrated
22-4	WIEDER Cheek Tongue Retractor, large blade 36mm wide, serrated
22-10	ANDREWS Cheek Tongue Retractor, serrated blade 21mm wide
22-200	MILTEX Lip Retractor, 6" (15.2 cm), double end 25 mm and 36 mm wide
22-210	Cheek Retractor, Dental, 7-3/4"(19.7 cm), with swivel blade 35 mm wide
22D-202	COLUMBIA Lip Retractor, 5-1/2" (14 cm) double end, 35 mm and 50 mm wide
22D-209	UNIVERSITY OF MINNESOTA Cheek Retractor, 5-1/2" (14 cm), double end 14
11D-27	Flexible Neck Rake Retractor, 3 sharp prongs
11-32	Flexible Neck Rake Retractor, 6" (15.2 cm), 2 sharp prongs
11-34	Flexible Neck Rake Retractor, 6" (15.2 cm), 3 sharp prongs
11-52	Rigid Neck Rake Retractor, 6" (15.2 cm), 2 sharp prongs
11-54	Rigid Neck Rake Retractor, 6" (15.2 cm), 3 sharp prongs
11-74	SENN Retractor, 6-3/8" (16.2 cm), sharp, double end
21-430	MILTEX Tissue Twist Hook, 5-1/2" (14 cm)
26-1084	FRAZIER Dura Hook, 5" (12.7 cm), sharp point
26-1086	FRAZIER Dura Hook, 5" (12.7 cm), blunt Point



017-31620



017-31621



017-31622



22-2



22-4





22-10



22-200



22-210



22D-202



22D-209



11D-27



11-32



11-34



11-52



11-54



11-74



21-430



26-1084
26-1086

RONGEURS

REF	Description
17-4801	Micro FRIEDMAN Rongeur, 5-1/2" (14 cm), curved, 1.3 mm wide jaw
17D-4802	Micro FRIEDMAN Rongeur, 5-1/2" (14 cm), 90 degree angled 1.3 mm wide jaw
19-804	HARTMAN Mastoid Rongeur, 5-3/4" (14.6 cm), strong curved
19-808	BANE Mastoid Ronguer, 7" (17.8 cm), curved
19-848	RUSKIN Rongeur, double action, 6" (15.2 cm) long, straight 3 mm bite jaw
19-849	RUSKIN Rongeur, double action, 6" (15.2 cm) long, curved 3 mm bite jaw
22D-420	BLUMENTHAL Oral Surgery Rongeur, 6" (15.2 cm), 45 degree angled beaks
22D-422	Mini-BLUMENTHAL Oral Surgery Ronguer, 4-1/2" (11.4 cm), 30 degree angle
22D-424	Mini-BLUMENTHAL Rongeur, 4-1/2" (11.4 cm), 45 degree angled beaks
22D-426	CLEVELAND Oral Surgery Rongeur, 6-1/2" (16.5 cm), no. 5A pattern, side cutting,
22D-428	CLEVELAND Oral Surgery Rongeur, 6" (16.5 cm), no. 5S pattern, side cutting
22D-432	Oral Surgery Rongeur, 6-1/2" (16.5 cm), no. 1 pattern, strong curved
22-480	BLUMENTHAL Oral Surgery Rongeur, 6" (15.2 cm), beaks at 30 degree angle
22-481	BLUMENTHAL Oral Surgery Rongeur, 7" (17.8 cm), beaks at 30 degree angle
22-482	BLUMENTHAL Oral Surgery Rongeur, 6" (15.2 cm), beaks at 90 degree angle
22-484	MEAD Oral Surgery Ronguer, 6-1/2" (16.5 cm), no. 1A pattern
22-486	CLEVELAND Oral Surgery Rongeur, 5-1/2" (14 cm), no. 4 pattern, slightly curved
22-488	CLEVELAND Oral Surgery Rongeur, 6-1/2" (16.5 cm), no. 4A pattern, slightly angled
22-490	CLEVELAND Oral Surgery Rongeur, 6-3/4" (17.1 cm), no. 5 pattern, side cutting
22-492	GARDNER Oral Surgery Rongeur, 6-1/2" (16.5 cm), no. 6A pattern, end cutting
22-494	FRIEDMAN Oral Surgey Rongeur, 5-1/2" (14 cm), very delicate



19-848



19-849



17-4801



17D-4802



19-804



19-808



22D-420



22D-422



22D-424



22D-426



22D-428



22-480



22D-432



22-481



22-482



22-484



22-486



22-488



22-490



22-492



22-494

FACT

Ronguers are made from the finest quality German grade stainless steel and are used to cut bone.

SUPERCUT SCISSORS

Manufactured with the highest quality stainless steel and German craftmanship, Miltex® SuperCut Scissors are ideal for various surgical and dental procedures or applications. SuperCut Scissors have a specially designed razor-sharp upper blade edge that cuts effortlessly through tissue. The lower blade has micro-fine serrations to prevent tissue slippage. For easy identification, Miltex SuperCut Scissors have two black finger rings.

Miltex also offers SuperCut/Carb-N-Sert® Scissors, which have precision SuperCut performance with one lower serrated blade and one upper razor-sharp blade, as well as the durability of Tungsten Carbide cutting edges. These scissors are easily identified with one short and one long gold-plated finger ring.



Dropping or careless handling will cause the razor-sharp edge to nick or become irregular. Proper handling will ensure lifetime service. Resharpening at regualr intervals is recommended.

REF	Description
5-SC-16	MILTEX SuperCut Operating Scissors, 5-1/2" (14 cm), straight, sharp/blunt
5-SC-46	MILTEX SuperCut Operating Scissors, 5-1/2" (14 cm), curved, sharp/blunt
5-SC-120	MILTEX SuperCut MAYO Scissors, 5-1/2" (14 cm), straight
5-SC-122	MILTEX SuperCut MAYO Scissors, 5-1/2" (14 cm), curved
5-SC-180	MILTEX SuperCut METZENBAUM Scissors, 5-1/2" (14 cm), curved
5-SC-182	MILTEX SuperCut METZENBAUM Scissors, 7" (17.8 cm), curved
5-SC-182TC	MILTEX TC SuperCut METZENBAUM Scissors, 7" (17.8 cm), curved, CARB-N-SERT blades
5-SC-283	MILTEX SuperCut METZENBAUM Scissors, 4-1/2" (11.4 cm), straight delicate
5-SC-284	MILTEX SuperCut METZENBAUM Scissors, 4-1/2" (11.4 cm), curved, delicate
5-SC-304	MILTEX SuperCut Iris Scissors, 4-1/2" (11.4 cm), straight
5-SC-304TC	MILTEX TC SuperCut Iris Scissors, 4-1/2" (11.4 cm), straight, CARB-N-SERT blades
5-SC-306	MILTEX SuperCut Iris Scissors, 4-1/2" (11.4 cm), curved
5-SC-306TC	MILTEX TC SuperCut Iris Scissors, 4-1/2" (11.4 cm), curved, CARB-N-SERT Blades
5-SC-320	MILTEX SuperCut GOLDMAN-FOX Gum Scissors, curved
18-SC-1472	SuperCut STEVENS Tenotomy Scissors, 4-1/2" (11.4 cm), straight
18-SC-1476	SuperCut STEVENS Tenotomy Scissors, 4-1/2" (11.4 cm), curved
18-SC-1652	SuperCut GRADLE Scissors 3-3/4" (9.5 cm), curved



5-SC-182TC



5-SC-46

5-SC-16



5-SC-122

5-SC-120



5-SC-182

5-SC-180



5-SC-284

5-SC-283



5-SC-306

5-SC-306TC

5-SC-304

5-SC-304TC



5-SC-320



18-SC-1476

18-SC-1472



18-SC-1652

SURGICAL SCISSORS

REF	Description
5-2	Standard Pattern Operating Scissors, straight, 4-1/2″ (11.4 cm) sharp-sharp
5-6	Standard Pattern Operating Scissors, straight, 5-1/2″ (14 cm), sharp-sharp
5-12	Standard Pattern Operating Scissors, straight, 4-1/2″ (11.4 cm) sharp-blunt
5-16	Standard Pattern Operating Scissors, straight, 5-1/2″ (14 cm) sharp-blunt
5-16TC	Standard Pattern Operating Scissors, straight, 5-1/2″ (14 cm), sharp-blunt, CARB-N-SERT blades
5-32	Standard Pattern Operating Scissors, curved, 4-1/2″ (11.4 cm), sharp-sharp
5-36	Standard Pattern Operating Scissors, curved, 5-1/2″ (14 cm), sharp-sharp
5-42	Standard Pattern Operating Scissors, curved, 4-1/2″ (11.4 cm) sharp-blunt
5-46	Standard Pattern Operating Scissors, curved, 5-1/2″ (14 cm), sharp-blunt
5-120	MAYO Dissecting Scissors, 5-1/2″ (14 cm), straight
5-120TC	MAYO Dissecting Scissors, 5-1/2″ (14 cm), straight, CARB-N-SERT blades
5-122	MAYO Dissecting Scissors, 5-1/2″ (14 cm), curved
5-122TC	MAYO Dissecting Scissors, 5-1/2″ (14 cm), curved, CARB-N-SERT blades
5-250	KELLY Scissors, 6-1/4″ (15.9 cm), straight, sharp points
5D-251	KELLY Scissors, 6-1/4″ (15.9 cm), sharp points, straight, one serrated blade
5-252	KELLY Scissors, 6-1/4″ (15.9 cm), curved, sharp points
5D-253	KELLY Scissors, 6-1/4″ (15.9 cm), sharp points, curved, one serrated blade
5-254	KELLY Scissors, 6-1/4″ (15.9 cm), sharp points, angled on side
5D-255	KELLY Scissors, 6-1/4″ (15.9 cm), sharp points, angular, one serrated
5-263	KAYE Fine Dissecting Scissors, 4-1/4″ (11 cm), serrated blades, ribbon type
5-264	DEAN Dissecting Scissors, 6-3/4″ (17.1 cm), blades angled on flat, one serrated blade
5-269TC	KAYE Dissecting Scissors, 4-17/32″ (11.5 cm), curved, one serraed blade, CARB-N-SERT blades
5-270	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-sharp
5-271	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-sharp, serrated
5-272	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-blunt
5-273	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-blunt, serrated
5-274	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, blunt-blunt
5-275	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, blunt-blunt, serrated
5-276	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, sharp-sharp
5-277	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, sharp-sharp, serrated
5-278	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, sharp-blunt
5-279	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, sharp-blunt, serrated
5-280	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, blunt-blunt
5-281	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), curved, blunt-blunt, serrated
5-282	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-sharp
5-282A	WAGNER Plastic Surgery Scissors, 4-3/4″ (12.1 cm), straight, sharp-sharp, serrated
5-316	BROPHY Scissors, 5-1/2″ (14 cm), straight, sharp points
5-318	BROPHY Scissors, 5-1/2″ (14 cm), curved, sharp points
5-320	GOLDMAN-FOX Scissors, curved fine tips, one serrated blade
5-320TC	GOLDMAN-FOX Scissors, curved fine tips, one serrated blade, CARB-N-SERT blades
5D-322	GOLDMAN-FOX Scissors, curved, one serrated blade, angled shank
5D-324	LA GRANGE Scissors, 4-1/4″ (10.8 cm), curved, one serrated blade, angled
5D-326	BROPHY Operating Scissors, 5-1/2″ (14 cm), curved, sharp-sharp, with one serrated blade
5D-328	LOCKLIN Operating Scissors, 6-1/4″ (15.9 cm), angled on side 25 degree
5D-329	LOCKLIN Operating Scissors, 6-1/4″ (15.9 cm), curved shank, one serrated blade
9-96	HEATH Suture Scissors, 6-1/8″ (15.4 cm), serrated blade
9-100	SPENCER Stitch Scissors, 3-1/2″ (8.9 cm), delicate
V99-100	VANTAGE SPENCER Stitch Scissors, 3-1/2″ (9.5 cm)
9-101	SHORTBENT Stitch Scissors, 3-1/2″ (8.9 cm), curved, delicate
9-102	LITTAUER JR. Stitch Scissors, 4-1/2″(11.4 cm), light pattern
V99-102	VANTAGE LITTAUER Stitch Scissors, 4-1/2″ (11.4 cm)
9-103	NORTHBENT Stitch Scissors, 4-3/4″ (12.1 cm), curved, light pattern
9-104	LITTAUER Stitch Scissors, 5-1/2″ (14 cm), standard pattern
V99-104	VANTAGE LITTAUER Stitch Scissors, 5-1/2″ (14 cm)
9-106	LONG Oral Surgery Stitch Scissors, 6″ (15.2 cm)
9-108	MILTEX Stitch Scissors, 4-1/2″ (11.4cm), angled, delicate
18-1516	NOYES (ROSS) Iris Scissors, 4-1/2″ (11.4 cm), curved, sharp-sharp point
18-1576	CASTROVIEJO Corneal Scissors, 3-3/4″ (9.5 cm), curved, sharp points
21-558	QUIMBY Gum Scissors, strongly curved and pointed, smooth blades 15 mm
21D-559	QUIMBY Gum Scissors, blades 15 mm, strongly curved and pointed, one serrated blade
21-630	JOSEPH Scissors, 5-3/4″ (14.6 cm), straight, sharp points
21-632	JOSEPH Scissors, 5-3/4″ (14.6 cm), curved, sharp points



5-2
4 ½" Straight
5-6
5 ½" Straight



5-12
4 ½" Straight
5-16
5 ½" Straight



5-16TC
5 ½" Straight



5-32
4 ½" Curved
5-36
5 ½" Curved



5-42
4 ½" Curved
5-46
5 ½" Curved



5-120TC
5 ½" Straight
5-120
5 ½" Straight

5-122TC
5 ½" Curved
5-122
5 ½" Curved



5-250
6 ¼" Straight, Smooth
5D-251
6 ¼" Straight,
One Serrated Blade



5-252
6 ¼" Curved, Smooth
5D-253
6 ¼" Curved,
One Serrated Blade



5-254
6 ¼" Angular, Smooth
5D-255
6 ¼" Angular,
One Serrated Blade



5-263
4 ¼" Serrated Blades,
Ribbon Type



5-264
6 ¾"
One Serrated Blade



5-269TC
4 17/32" Curved,
One Serrated Blade



5-270
4 ¾" Straight, Smooth
5-271
4 ¾" Straight,
One Serrated Blade



5-272
4 ¾" Straight, Smooth
5-273
4 ¾" Straight,
One Serrated Blade



5-274
4 ¾" Straight, Smooth
5-275
4 ¾" Straight,
One Serrated Blade



5-276
4 ¾" Curved, Smooth
5-277
4 ¾" Curved,
One Serrated Blade



5-278
4 ¾" Curved, Smooth
5-279
4 ¾" Curved,
One Serrated Blade



5-280
4 ¾" Curved, Smooth
5-281
4 ¾" Curved, Smooth



5-282
4 ¾" Angular, Smooth
5-282A
4 ¾" Angular,
One Serrated Blade



5-316
5 ½" Straight, Smooth

5-318
5 ½" Curved,
Sharp Points

5D-326
5 ½" Curved,
Sharp Points,
One Serrated
Blade



5-320
5" Curved Fine Tips,
One Serrated Blade



5-320TC
5" One Serrated and
One CARB-N-SERT
Blade



5D-322
5" Double Curved,
One Serrated Blade



5D-324
4 ¼" Curved,
One Serrated Blade



5D-326
5 ½" Curved,
One Serrated Blade



5D-328
6 ¼" Straight,
One Serrated Blade

5D-329
6 ¼" Curved,
One Serrated Blade



9-96
6 ¼"
One Serrated Blade



9-100
3 ½" SPENCER
V99-100
Economy



9-101
3 ½" SHORTBENT



9-102
4 ½" LITTAUER JR.
V99-102
Economy



9-103
4 ¾" NORTHBENT



9-104
5 ½" LITTAUER
V99-104
Economy



9-106
6 ¼" LONG



9-108
4 ½" Angular



18-1516
4 ¾" Curved,
Periodontal



18-1576
3 ½" Curved,
Periodontal



21-558
5" Smooth
21D-559
5"
One Serrated Blade



21-630
5 ¾" Straight, Smooth
21-632
5 ¾" Curved, Smooth

FACT

Miltex offers the largest variety of scissors patterns available. Visit www.miltex.com for a list of additional patterns.

IRIS SCISSORS

REF	Description
5-300	Iris Scissors, 4" (10.2 cm), straight
5-302	Iris Scissors, 4" (10.2 cm), curved
5D-303	Iris Operating Scissors, 4-1/2" (11.4 cm), curved sideways
5-304	Iris Scissors, 4-1/2" (11.4 cm), straight
V95-304	VANTAGE Iris Scissors, 4-1/8" (10.5 cm), straight
5-304TC	Iris Scissors, 4-1/2" (11.4 cm), straight, CARB-N-SERT blades
5-306	Iris Scissors, 4-1/2" (11.4 cm), curved
V95-306	VANTAGE Iris Scissors, 4-1/8" (10.5 cm), curved
5-306TC	Iris Scissors, 4-1/2" (11.4 cm), curved, CARB-N-SERT blades
5-308	Iris Scissors, 4-1/2" (11.4 cm), angled on side
18-1396	Iris Scissors, 3-1/2" (8.9 cm), straight, with 20 mm blades, delicate
18-1398	Iris Scissors, 3-1/2" (8.9 cm), curved, with 20 mm blades, delicate



5-302
4" Curved
5-306
4 ½" Curved
V95-306
4 ½" Economy

5-300
4" Straight
5-304
4 ½" Straight
V95-304
4 ½" Economy



5D-303
4 ½" Curved



5-306TC
4 ½" Curved

5-304TC
4 ½" Straight



5-308
4 ½" Angled



18-1398
Economy

18-1396
Economy

METZENBAUM SCISSORS

REF	Description
5-179A-TC	Delicate Pattern METZENBAUM Scissors, 5-1/2" (14 cm), straight, blunt, CARB-N-SERT blades
5-179B-TC	Delicate Pattern METZENBAUM Scissors, 5-1/2" (14 cm), straight, sharp, CARB-N-SERT blades
5-180	Standard Pattern METZENBAUM Scissors, 5-1/2" (14 cm), curved, blunt/blunt
5-180TC	Standard Pattern METZENBAUM Scissors, 5-1/2" (14 cm), curved, blunt/blunt, CARB-N-SERT blades
5-180A-TC	Delicate Pattern METZENBAUM Scissors, 5-1/2" (14 cm), curved, blunt/blunt, CARB-N-SERT blades
5-180B-TC	Delicate Pattern METZENBAUM Scissors, 5-1/2" (14 cm), curved, sharp/sharp, CARB-N-SERT blades
5-284	Delicate Pattern METZENBAUM Scissors, curved, 5" (12.7 cm)



5-284
5" Curved



5-179A-TC
5 ½" Straight B-B



5-179B-TC
5 ½" Straight S-S



5-180A-TC
5 ½" Curved, Delicate, B-B



5-180B-TC
5 ½" Curved Delicate, S-S

5-180TC
5 ½" Curved B-B

5-180
5 ½" Curved B-B

SUTURE SCISSORS

REF	Description
9-98	NEW'S Suture Scissors, 5-1/2" (14 cm), angled on flat
9-110	O'BRIEN Stitch Scissors, 3-3/4" (9.5 cm), angled, sharp points
9-115	REEH Stitch Scissors, 3-7/8" (9.7 cm), sharp tips, small hook, one serrated bldae
9-116	MILTEX Stitch Scissors, 3-7/8" (9.7 cm), curved, sharp pointed tips
9-117	MILTEX Stitch Scissors, 4-7/8" (12.4 cm), curved, sharp pointed tips



9-98
5 ½" NEWS

BANDAGE SCISSORS

REF	Description
5-512	LISTER Bandage Scissors, 4-1/2" (11.4 cm), extra fine
5-514	LISTER Bandage Scissors, 5-1/2" (14 cm), extra fine
5-516	LISTER Bandage Scissors, 7-1/4" (18.4 cm), extra fine
5-560	KNOWLES Bandage Scissors, 5-1/2" (14 cm), straight



9-110
3 ¾" Angled,
Sharp Points



9-115
3.9" Straight

9-116
3.8"
Curved

9-117
4.9"
Curved



5-512
4 ½"
5-514
5 ½"
5-516
7 ¼"



5-560
5 ½" Straight

CROWN, COLLAR AND WIRE CUTTING SCISSORS

REF	Description
9D-115	RA Matrix Scissors, 4-1/4" (10.8 cm), one serrated blade
9D-118	Pedo Crown-Festooning Scissors, 3-1/2", curved
9-120	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), straight, one serrated blade
9D-121	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), straight
9-122	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), curved, one serrated blade
9D-123	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), curved
9-124	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), angled to side, one serrated blade
9-124TC	MILTEX Wire Cutting Scissors, 4-3/4" (12.1 cm), angled to side, one serrated blade, CARB-N-SERT blades
9D-132	MILTEX Wire Cutting Scissors, 4-3/4" (10.8 cm), straight, one serrated blade
9D-133	MILTEX Wire Cutting Scissors, 4-3/4" (10.8 cm), straight
9D-134	MILTEX Wire Cutting Scissors, 4-1/4" (10.8 cm), curved, one serrated blade
9D-135	MILTEX Wire Cutting Scissors, 4-1/4" (10.8 cm), curved



9D-115
4 ¼"
One Serrated Blade



9D-118
3 ½" Curved



9-122
4 ¾" Curved, One Serrated Blade
9D-123
4 ¾" Curved, Smooth

9-120
4 ¾" Straight, One Serrated Blade
9D-121
4 ¾" Straight, Smooth



9-124
4 ¾" Angular
9-124TC
4 ¾" Angular, One Serrated Blade



9D-132
4 ¼" Straight, One Serrated Blade
9D-133
5 ½" NEWS



9D-134
4 ¼" Curved, One Serrated Blade
9D-135
4 ¼" Curved, Smooth

ASPIRATING SYRINGES

REF	Description
76-70	Aspirating Syringe, C-W Type
76-80	Aspirating Syringe Type "A"
76-105	Articulating Barrel Syringe 1.8cc
77-70	Petite Aspirating Syringe, C-W Type



76-70



76-80



76-105



77-70

NEW!

Petite Syringe Features and Benefits:

- **Reduced thumb ring handle diameter** to eliminate the excess gap, allowing just enough room for comfort and ease.
- **New oval shaped ring handle** that fits naturally to the shape of your thumb.
- **Rounded edges** on ring handle to create a smooth and soft feel.
- **Slightly flared base** on ring handle to ease pressure while dispensing.
- **Shortened harpoon rod** to reduce strain during aspiration.
- **Wide wings** allow for a better grip with greater control.



FACT

Our Articulating Barrel Syringe when used with our 30° angle can be used for intraligamentary injections.



76-90



76-100

SELF-ASPIRATING SYRINGES

REF	Description
76-90	Lightweight Self-Aspirating Syringe, 1.8 cc
76-100	Self-Aspirating Syringe, l.8 cc

N-TRALIG®

The Miltex N-Tralig® delivers precisely 0.2 cc of anesthetic, has a positive ratchet action and protects against the breakage of anesthesia cartridges. The 30° adapter handles the most difficult injection areas with ease. Comes with solid and window barrels.

REF	Description
76-50	N-Tralig Intraligamentary Syringe
76-51	30 degree adapter for N-Tralig
P2A	Cartridge barrel solid wall for N-Tralig
P2B	Cartridge barrel sheilded windows for N-Tralig
P3	Barrel cap for N-Tralig



P2B



76-51



76-50

TONGUE FORCEPS

REF	Description
2-60	YOUNG Tongue Seizing Forceps, 6-1/2" (16.5 cm), with soft rubber jaws (contains latex)
2-62	Rubber jaws for YOUNG Tongue Forceps (contains latex)



2-60

TOWEL CLAMPS

REF	Description
7-500	JONES Towel Clamp, 3-1/2" (8.9 cm), standard size
7-504	BACKHAUS Towel Clamp, 3-1/2"(8.9 cm)
7-506	BACKHAUS Towel Clamp, 5-1/4" (13.3 cm)
7-514	LORNA Non-Perforating Towel Forceps, 3-1/2" (8.9 cm)
7-515	LORNA Non-Perforating Towel Forceps, 5-1/4" (13.3 cm)



7-500



7-504



7-506



7-514
7-515

INDEX

013-29070 4
013-29080 4
013-29085 4
013-31013 5
013-31014 5
013-31016 5
013-31200 4
013-31205 4
013-31210 4
013-31215 4
013-31220 4
013-33810 20
017-27521 21
017-27541 21
017-27590 21
017-31100 5
017-31130 5
017-31430 4
017-31610 81
017-31611 81
017-31620 81
017-31621 81
017-31622 81
017-33700 18
017-33701 18
017-33702 18
017-33703 18
017-33820 20
017-33825 20
017-33830 20
017-33835 20
017-33855 20
017-33860 20
017-33865 20
017-33870 20
017-48220 64
017-48221 64
017-48222 64
017-48223 64
017-48224 64
017-48225 64
017-48226 64
017-48227 64
017-48230 64
2-60 102
2-62 102
2-154 69
3-072007 58
3-072014 58
3-080205 61
3-082008 58
3-083005 55
3-083105 55
3-083210 55
3-084007 55
3-084107 55
3-084214 55
3-085009 56
3-085109 56
3-085218 56
3-089110 56
3-2 67
3-4 67
3-10 67
3-20 67
3-22 67
3-24 67
3-26 67
3-50 ..... 78, 79
3-700 63
3-720 63
3-725 63
3-726 63
3-740 63
3-750 63
3-755 63
3-760 63
3-800 63
3-810 63
3-1000 63
3-1001 63
3-2501 64
3-2501C 64
3-2501T 64
3-2501V 64
3-2502 64
3-2502C 64
3-2502T 64
3-2502V 64
3-2503 64
3-2503C 64
3-2503T 64
3-2503V 64
3-2504 64
3-2504C 64
3-2504T 64
3-2504V 64
3-2505 64
3-2505C 64
3-2505T 64
3-2505V 64
3-2506 64
3-2506C 64
3-2506T 64
3-2506V 64
3-2507 64
3-2507C 64
3-2507T 64
3-2507V 64
3-2508 64
3-2508C 64
3-2508T 64
3-2508V 64
3-2509 64
3-2509C 64
3-2509T 64
3-2509V 64
3-2510 64
3-2510C 64
3-2510T 64
3-2510V 64
3-118114 56
3-118116 57
3-118122 57
3-139126 57
4-7 6
4-7R 6
4-8 6
4-8R 6
4-9 6
4-16 6
4-17 6
4-18 6
4-20 6
4-30 6
4-31 6
4-100 6
4-110 7
4-111 7
4-112 7
4-112B 7
4-115 7
4-115C 7
4-120 7
4-121 7
4-122 7
4-123 7
4-125 7
4-310 7
4-311 7
4-312 7
4-312B 7
4-315 7
4-315C 7
4-320 7
4-321 7
4-322 7
4-323 7
4-325 7
4-410 8
4-411 8
4-412 8
4-415 8
4-420 8
4-421 8
4-422 8
4-423 8
4-510 8
4-511 8
4-512 8
4-515 8
4-515C 8
4-522 8
5-2 ..... 90, 91
5-6 ..... 90, 91
5-12 ..... 90, 91
5-16 ..... 90, 91
5-16TC 90, 91
5-32 ..... 90, 91
5-36 ..... 90, 91
5-42 ..... 90, 91
5-46 ..... 90, 91
5-120 ..... 90, 91
5-120TC 90, 91
5-122 ..... 90, 91
5-122TC 90, 91
5-179A-TC 97
5-179B-TC 97
5-180 97
5-180A-TC 97
5-180B-TC 97
5-180TC 97
5-250 ..... 90, 91
5-252 ..... 90, 91
5-254 90,92
5-263 ..... 90, 92
5-264 ..... 90, 92
5-269TC 90, 92
5-270 ..... 90, 92
5-271 ..... 90, 92
5-272 ..... 90, 92
5-273 ..... 90, 92
5-274 ..... 90, 92
5-275 ..... 90, 92
5-276 ..... 90, 92
5-277 ..... 90, 92
5-278 ..... 90, 93
5-279 ..... 90, 93
5-280 ..... 90, 93
5-281 ..... 90, 93
5-282 ..... 90, 93
5-282A 90, 93

5-284 97
5-300 96
5-302 96
5-304 96
5-304TC 96
5-306 96
5-306TC 96
5-308 96
5-316 ..... 90, 93
5-318 ..... 90, 93
5-320 ..... 90, 93
5-320TC 90, 93
5-512 98
5-514 98
5-516 98
5-560 98
5-5000 66
5D-251 ..... 90, 91
5D-253 ..... 90, 91
5D-255 ..... 90, 92
5D-303 96
5D-322 ..... 90, 93
5D-324 ..... 90, 93
5D-326 ..... 90, 94
5D-328 ..... 90, 94
5D-329 ..... 90, 94
5-SC-16 ..... 88, 89
5-SC-46 ..... 88, 89
5-SC-120 ..... 88, 89
5-SC-122 ..... 88, 89
5-SC-180 ..... 88, 89
5-SC-182 ..... 88, 89
5-SC-182TC 88
5-SC-283 ..... 88, 89
5-SC-284 ..... 88, 89
5-SC-304 ..... 88, 89
5-SC-304TC 88, 89
5-SC-306 ..... 88, 89
5-SC-306TC 88, 89
5-SC-320 ..... 88, 89
6-4 52
6-8 52
6-10 52
6-30TC 52
6-44 52
6-46 52
6-104 52
6-107 52
6-109 52
6-109A 52
6-118 ..... 52, 53
6-118A 52, 53
6-118TC 52, 53
6-120 ..... 52, 53
6-124 ..... 52, 53
6-138 ..... 52, 53
6-142 ..... 52, 53
7-2 50
7-4 50
7-14 50
7-16 50
7-20 50
7-24 ..... 50, 51
7-26 ..... 50, 51
7-36 ..... 50, 51
7-38 ..... 50, 51
7-500 102
7-504 102
7-506 102
7-514 102
7-515 102
8-3TC 70
8-4 73
8-4CG 76
8-4TC 70
8-5TC 70
8-6 73
8-6CG 76
8-7CG 76, 77
8-8A-TC 70, 71
8-8CG 76, 77
8-8TC 70, 71
8-15 ..... 73, 74
8-15CG 76, 77
8-15TC 70, 71
8-16 ..... 73, 74
8-16CG 76, 77
8-16TC 70, 71
8-26 ..... 73, 74
8-28 ..... 73, 74
8-28TC 70, 71
8-30 ..... 73, 74
8-30TC 70, 71
8-40 ..... 73, 74
8-40CG 76, 77
8-40TC 70, 71
8-42 ..... 73, 74
8-42CG 76, 77
8-42TC 70, 71
8-44 ..... 73, 74
8-44CG 76, 77
8-44TC 70, 71
8-46CG 76, 77
8-48CG 76, 77
8-50 ..... 73, 74
8-50CG 76, 77
8-50TC 70, 71
8-51 ..... 73, 74
8-51CG 76, 77
8-52CG 76, 77
8-65TC 70, 72
8-103TC 70, 72
8-706TC 70, 72
8-750TC 70, 72
8D-36 ..... 73, 75
9-96 ..... 90, 94
9-98 98
9-100 ..... 90, 94
9-101 ..... 90, 94
9-102 ..... 90, 94
9-103 ..... 90, 94
9-104 ..... 90, 94
9-106 ..... 90, 95
9-108 ..... 90, 95
9-110 98
9-115 98
9-116 98
9-117 98
9-120 99
9-122 99
9-124 99
9-124TC 99
9D-115 99
9D-118 99
9D-121 99
9D-123 99
9D-132 99
9D-133 99
9D-134 99
9D-135 99
11-32 ..... 81, 83
11-34 ..... 81, 83
11-52 ..... 81, 83
11-54 ..... 81, 83
11-74 ..... 81, 83
11D-27 ..... 81, 83
16-3 ..... 52, 53
16-4 ..... 52, 53
16-6 ..... 52, 53
16-8 ..... 52, 53
16-20 ..... 52, 53
16-22 ..... 52, 53
17-4801 ..... 84, 85
17D-4802 ..... 84, 85
18-779 ..... 52, 53
18-785 ..... 52, 53
18-1202 ..... 50, 51
18-1396 96
18-1398 96
18-1516 ..... 90, 95
18-1576 ..... 90, 95
18-1828 ..... 73, 75
18-1828A-TC 70, 72
18-1828TC 70, 72
18-1832 ..... 73, 75
18-1832A-TC 70, 72
18-1832TC 70,72
18-1968 30
18-SC-1472 ..... 88, 89
18-SC-1476 ..... 88, 89
18-SC-1652 ..... 88, 89
19-790 15
19-793 15
19-795 15
19-796 15
19-797 15
19-804 ..... 84, 85
19-808 ..... 84, 85
19-848 84
19-849 84
21-430 ..... 81, 83
21-558 ..... 90, 95
21-630 ..... 90, 95
21-632 ..... 90, 95
21D-559 ..... 90, 95
22-2 ..... 81, 82
22-4 ..... 81, 82
22-10 ..... 81, 82
22-200 ..... 81, 82
22-210 ..... 81, 82
22-480 ..... 84, 86
22-481 ..... 84, 86
22-482 ..... 84, 86
22-484 ..... 84, 87
22-486 ..... 84, 87
22-488 ..... 84, 87
22-490 ..... 84, 87
22-492 ..... 84, 87
22-494 ..... 84, 87
22D-202 ..... 81, 82
22D-209 ..... 81, 82
22D-420 ..... 84, 85
22D-422 ..... 84, 85
22D-424 ..... 84, 85
22D-426 ..... 84, 85
22D-428 ..... 84, 85
22D-432 ..... 84, 86
26-1084 ..... 81, 83
26-1086 ..... 81, 83
33-31 9
33-31A 9
33-31AA 9
33-31AA-P/25 9
33-31A-P/25 9
33-31B 9
33-31-P/25 9
33-32 9
33-33 9
33-34 9
33-35 9
33-36 9
33-37 9
33-38 9
40-1370 13

40-1371 13
40-1375 ..... 13, 14
40-1380 ..... 13, 14
40-1381 ..... 13, 14
40-1382 ..... 13, 14
40-1385 ..... 13, 14
40-2800 ..... 13, 14
40-2801 ..... 13, 14
40-2802 ..... 13, 14
61-2 11
61-4 11
61-6 11
61-8 11
61-10 ..... 11, 12
61-12 ..... 11, 12
61-14 ..... 11, 12
61-16 ..... 11, 12
61-18 ..... 11, 12
61-20 11
62-2 10
62-4 10
62-6 10
62-8 10
63-10 69
63-10A 69
63-15 69
63-15A 69
63-20 69
63-20A 69
65-25 67
65-28 68
65-29 68
66-49 21
66-311 21
66-312A 21
66-317 21
66-317A 21
66-317B 21
66-317S 21
66-318 21
66-318-49 21
66-652 21
66-656 21
68-693 22
68-694 22
68-695 22
68-696 22
68-697 22
70-144 10
70-146 10
70-148 10
70-150 10
70-170 80
70-171 80
70-172 80
70-176 ..... 73, 75
70-177 80
73-64 30
75-48 20
76-50 101
76-51 101
76-70 100
76-80 100
76-90 101
76-100 101
76-105 100
77-70 100
560-26490 66
560-26510 66
560-26530 66
560-26550 66
560-26570 66
560-26590 66
560-26610 66
DEF1HEN 34, 38
DEF1HEN-SG 38
DEF1STD 34, 38
DEF1STD-SG 38
DEF1STDTC 31
DEF3FS 34, 37
DEF3FS-SG 37
DEF6 ..... 34, 39
DEF6-SG 39
DEF10H 34, 35
DEF10H-SG 35
DEF10S 34, 35
DEF10S-SG 35
DEF13 ..... 34, 44
DEF13-SG 44
DEF15 ..... 34, 37
DEF15-SG 37
DEF16 ..... 34, 37
DEF16S 34, 41
DEF16-SG 37
DEF17 ..... 34, 37
DEF17S 34, 41
DEF17-SG 37
DEF17TC 31, 32
DEF18L 34, 35
DEF18L-SG 35
DEF18R 34, 35
DEF18R-SG 35
DEF22 ..... 34, 44
DEF22-SG 44
DEF23 ..... 34, 37
DEF23S 34, 41
DEF23-SG 37
DEF24 ..... 34, 35
DEF24-SG 35
DEF32 ..... 34, 35
DEF32A 34, 36
DEF32A-SG 36
DEF32-SG 35
DEF33 ..... 34, 44
DEF33-SG 44
DEF53L 34, 36
DEF53L-SG 36
DEF53LTC 31, 32
DEF53R 34, 36
DEF53R-SG 36
DEF53RTC 31, 32
DEF62 ..... 34, 39
DEF62-SG 39
DEF65 ..... 34, 40
DEF65-SG 40
DEF65TC 31, 32
DEF69 ..... 34, 40
DEF69-SG 40
DEF69TC 31, 32
DEF73 ..... 34, 44
DEF74 ..... 34, 44
DEF74N 34, 44
DEF85A 34, 37
DEF85A-SG 37
DEF88L 34, 36
DEF88L-SG 36
DEF88R 34, 36
DEF88R-SG 36
DEF89 ..... 34, 36
DEF89-SG 36
DEF90 ..... 34, 36
DEF90-SG 36
DEF99C 34, 38
DEF99C-SG 38
DEF101 ..... 34, 39
DEF101-SG 39
DEF116 ..... 34, 40
DEF120 ..... 34, 40
DEF150 ..... 34, 38
DEF150 1/2S 34, 41
DEF150 1/2S-SG 41
DEF150A 34, 38
DEF150AS 34, 38
DEF150A-SG 38
DEF150AS-SG 38
DEF150S 34, 41
DEF150-SG 38
DEF150S-SG 41
DEF150STC 31, 32
DEF150TC 31, 32
DEF150XAS 34, 42
DEF151 ..... 34, 39
DEF151 1/2S 34, 42
DEF151 1/2S-SG 42
DEF151A 34, 39
DEF151AS 34, 39
DEF151AS-SG 39
DEF151A-SG 39
DEF151S 34, 42
DEF151-SG 39
DEF151S-SG 42
DEF151STC 31, 32
DEF151TC 31, 32
DEF151XAS 34, 42
DEF203 ..... 34, 39
DEF203-SG 39
DEF210H 34, 36
DEF210H-SG 36
DEF210S 34, 36
DEF210S-SG 36
DEF217 ..... 34, 37
DEF217-SG 37
DEF222 ..... 34, 37
DEF222-SG 37
DEF286 ..... 34, 38
DEF286-SG 38
DEF845TC 31, 33
DEF849STC 31, 33
DEF849TC 31, 33
DEF859TC 31, 33
DEFA 34, 43
DEFB 34, 43
DEFC 34, 43
DEFE 34, 43
DEFF 34, 43
DEFH 34, 43
DEFMD1 ..... 34, 45
DEFMD2 ..... 34, 45
DEFMD3 ..... 34, 45
DEFMD4 ..... 34, 45
DEL1L 25, 27
DEL1R 25, 27
DEL3 ..... 25, 26
DEL4L 25, 27
DEL4R 25, 27
DEL6X 25, 28
DEL7X 25, 28
DEL8 ..... 25, 27
DEL25 ..... 25, 27
DEL26 ..... 25, 27
DEL34 ..... 25, 26
DEL34S 25, 26
DEL44 ..... 25, 27
DEL45 ..... 25, 27
DEL46 ..... 25, 26
DEL77R 25, 26
DEL78 ..... 25, 29
DEL79 ..... 25, 29
DEL80 ..... 25, 29
DEL81 ..... 25, 26
DEL301 ..... 25, 26
DEL302 ..... 25, 26
DEL302HF 25, 26
DEL303 ..... 25, 26

DEL303HF 25, 26
DELA 25, 26
DELH1 .....25, 29
DELH2 .....25, 29
DELH2-3 .....25, 29
DELH3 .....25, 29
DELLUXC2 .....23, 24
DELLUXC3 .....23, 24
DELLUXC4 .....23, 24
DELLUXC5 .....23, 24
DELLUXS2 .....23, 24
DELLUXS3 .....23, 24
DELLUXS4 .....23, 24
DELLUXS5 .....23, 24
DELM9 30
DELOHL.....30
DELPR3.....30
DELS23.....30
DELW2 30
DFG 1/2 16
DFG 1/2-CL 18
DFG 1/2SU 16
DFG 1/4 16
DFG 1/4-CL 18
DFG1.....16
DFG2.....16
DFG2-CL.....18
DFG2S 16
DFG2SU.....16
DFG3.....16
DFG4.....16
DFG4-CL.....18
DFG4S 16
DFG4SU.....16
DFG5.....16
DFG6.....16
DFG6-CL.....18
DFG6SU.....16
DFG7.....16
DFG8.....16
DFG8-CL.....18
DFG8SU.....16
DFG14.....17
DFG33 1/2 18
DFG33 1/2-CL 18
DFG34.....18
DFG34-CL.....18
DFG35.....18
DFG35-CL.....18
DFG35S 18
DFG36.....18
DFG37.....18
DFG38.....18
DFG39.....18
DFG56.....17
DFG56-CL.....18
DFG56S 17
DFG57.....17
DFG57-CL.....18
DFG57L 17
DFG57S 17
DFG57SU.....17
DFG58.....17
DFG58L 17
DFG58SU.....17
DFG59.....17
DFG60.....17
DFG169.....17
DFG169L 17
DFG170.....17
DFG170L 17
DFG171.....17
DFG171L 17
DFG172.....17
DFG245.....17
DFG245-CL.....18
DFG329.....17
DFG330.....17
DFG330-CL.....18
DFG330S 17
DFG330S-CL.....18
DFG331.....17
DFG331-CL.....18
DFG332.....17
DFG556.....16
DFG556-CL.....18
DFG556S-CL.....18
DFG557.....16
DFG557-CL.....18
DFG557L 16
DFG557S 16
DFG557S-CL.....18
DFG557SU.....16
DFG558.....16
DFG558-CL.....18
DFG558L 16
DFG558SU.....16
DFG559.....16
DFG559SU.....16
DFG560.....16
DFG699.....16
DFG699L 16
DFG700.....16
DFG700-CL.....18
DFG700L 16
DFG700S 16
DFG700SU.....16
DFG701.....16
DFG701-CL.....18
DFG701L 16
DFG701SU.....16
DFG702.....16
DFG702SU.....16
DFG703.....16
DFG703SU.....16
DFG957.....17
DFG958.....17
DFG1156.....17
DFG1157.....17
DFG1157-CL.....18
DFG1158.....17
DFG1159.....17
DFG1170.....17
DFG1171.....17
DFG1557.....17
DFG1557-CL.....18
DFG1558.....17
DFG1558-CL.....18
DFG1558SU.....17
DFG1559.....17
DFG1931.....19
DFG1958.....19
DFG7006.....19
DFG7104.....19
DFG7106.....19
DFG7108.....19
DFG7204.....19
DFG7205.....19
DFG7404.....19
DFG7406.....19
DFG7408.....19
DFG7606.....19
DFG7610.....19
DFG7611.....19
DFG7612.....19
DFG7613.....19
DFG7702.....19
DFG7713.....19
DFG7801.....19
DFG7802.....19
DFG7901.....19
DFG7902.....19
DFG7903.....19
DHP 1/2 16
DHP 1/4 16
DHP1.....16
DHP2.....16
DHP3.....16
DHP4.....16
DHP5.....16
DHP6.....16
DHP7.....16
DHP8.....16
DHP10.....16
DHP33 1/2 18
DHP34.....18
DHP35.....18
DHP36.....18
DHP37.....18
DHP38.....18
DHP39.....18
DHP556.....16
DHP557.....16
DHP558.....16
DHP559.....16
DHP560.....16
DHP699.....16
DHP700.....16
DHP701.....16
DHP702.....16
DHP703.....16
DHP1557.....17
DHP1558.....17
DRA 1/2 16
DRA1 16
DRA2.....16
DRA3.....16
DRA4.....16
DRA5 16
DRA6.....16
DRA7 16
DRA8.....16
DRA33 1/2 18
DRA34.....18
DRA35 18
DRA36.....18
DRA37.....18
DRA38.....18
DRA39.....18
DRA556.....16
DRA557.....16
DRA558.....16
DRA559.....16
DRA699.....16
DRA700.....16
DRA701 16
DRA702.....16
DRA703.....16
DTS 65
DTST 65
MS140-14 .....78, 79
MS140-15 .....78, 79
MS140-16 .....78, 79
MS140-17 .....78, 79
MS140-18 .....78, 79
MS140-19 .....78, 79
MS140-20 .....78, 79
MS140S-14.....78, 79
MS140S-15.....78, 79
MS140S-16.....78, 79
MS140S-17.....78, 79
MS140S-18.....78, 79
MS140S-19.....78, 79
MS140S-20.....78, 79

MS141-8 78
MS141-9 78
MS141-10 78
MS141-11 78
MS141-12 78
MS155-1 ..... 78, 79
MS155-2 ..... 78, 79
MS155-3 ..... 78, 79
MS155-4 ..... 78, 79
MS155-5 ..... 78, 79
MS156-1 ..... 78, 79
MS156-2 ..... 78, 79
MS156-3 ..... 78, 79
MS156-4 ..... 78, 79
MS156-5 ..... 78, 79
MS-177 ..... 78, 79
MS192-14 ..... 78, 79
MS192-15 ..... 78, 79
MS192-16 ..... 78, 79
MS192-17 ..... 78, 79
MS192-18 ..... 78, 79
MS192-19 ..... 78, 79
MS192-20 ..... 78, 79
MS192S-14 ..... 78, 79
MS192S-15 ..... 78, 79
MS192S-16 ..... 78, 79
MS192S-17 ..... 78, 79
MS192S-18 ..... 78, 79
MS192S-19 ..... 78, 79
MS192S-20 ..... 78, 79
MSRC-14 78
MSRC-18 78
P2A 101
P2B 101
P3 101
SP2 66
SPC 66
SPF 66
SPM 66
STD1515 68
STD2020 68
STD2424 68
STDBH 62
STDBH6 62
STDBHS 62
STDBOL 60
STDBOM 60
STDBOS 60
STDDRY 68
STDES60 62
STDES72 62
STDIND 68
STDORTHO 61
STDORTHOS 61
STDPB 62
STDSL27 58
STDSTAT 59
STDSTAT8 59
STDSTEAM 68
STN-ARK-CON 65
STN-ARK-FLT-4 65
STN-IND-CON-309 65
STN-IND-FLT-1 65
STN-IND-WDG-6 65
STN-OIL 65
TK24G 30
TKGF14 30
TKLU85 ..... 11, 12
TKLU86 ..... 11, 12
TKLU87 ..... 11, 12
TKLU88 ..... 11, 12
TKM10 ..... 11, 12
TKM11 ..... 11, 12
TKMO24 ..... 11, 12
TKOC3 10
TKOC4 10
TKPR3 30
TKSC910 13
TKSU12 13
TKSU34 13
TPPR12 ..... 11, 12
UKK29 10
USH5 6
V90-1STD 38
V90-1STD-CG 46, 47
V90-1STD-SG 38
V90-10S 35
V90-10S-CG 46
V90-10S-SG 35
V90-16 37
V90-16-CG 46
V90-16-SG 37
V90-17 37
V90-17-CG 46
V90-17-SG 37
V90-23 37
V90-23-CG 46, 47
V90-23-SG 37
V90-53L 36
V90-53L-CG 46, 47
V90-53L-SG 36
V90-53R 36
V90-53R-CG 46, 47
V90-53R-SG 36
V90-62 39
V90-62-CG 46, 47
V90-62-SG 39
V90-65 40
V90-65-CG 46, 47
V90-65-SG 40
V90-69 40
V90-69-CG 46, 47
V90-69-SG 40
V90-88L 36
V90-88L-CG 46, 47
V90-88L-SG 36
V90-88R 36
V90-88R-CG 46, 47
V90-88R-SG 36
V90-150 38
V90-150-CG 46
V90-150S 41
V90-150S-CG 46, 47
V90-150-SG 38
V90-150S-SG 41
V90-151 39
V90-151-CG 46, 47
V90-151S 42
V90-151S-CG 46, 47
V90-151-SG 39
V90-151S-SG 42
V95-304 96
V95-306 96
V97-2 50
V97-4 50
V97-24 ..... 50, 51
V97-26 ..... 50, 51
V97-36 ..... 50, 51
V97-38 ..... 50, 51
V98-4 73
V98-6 73
V98-15 ..... 73, 74
V98-16 ..... 73, 74
V98-28 ..... 73, 74
V98-40 ..... 73, 74
V98-42 ..... 73, 74
V98-44 ..... 73, 74
V98-50 ..... 73, 74
V99-100 ..... 90, 94
V99-102 ..... 90, 94
V99-104 ..... 90, 94
V966-317 21
V966-652 21
VST 63
VSTA 63
VSTSA 63
VSTSB 63
VSTSD 63
VSTSG 63
VSTSK 63
VSTSL 63
VSTSN 63
VSTSP 63
VSTSR 63
VSTSU 63
VSTSW 63
VSTSY 63

Miltex
Redefining Excellence
INTEGRA
Thompson
Moyco Union Broach

www.miltex.com
toll-free phone 866-854-8300
toll-free fax 866-854-8400

Please call Customer Service today for additional information, an in-office demonstration, to place an order, or to receive other Miltex catalogs.

0311/0/C/2 DENT-CAT-SURG

+H834DENTCATSURG03